

KIMTECH^{Pure}[®] CL3

100% Polyester. 100% continuous filament double-knit Polyester wipers recommended for the most critical surface wiping tasks in ISO Class 3 or higher cleanroom environments.




Our patent-pending Clean-Dry Technology achieves greater than 25% better surface wipe drying than TEXWIPE VECTRA[®] ALPHA[®] 10 Wipers. KIMTECH PURE^{*} CL3 Wipers absorb liquids on contact while still delivering the low particle and extractable levels that you expect from Polyester wipers.

Both solvent- and abrasion-resistant, KIMTECH PURE^{*} CL3 Wipers have four laser-sealed edges to minimize particle generation. The wipers are cleanroom laundered in water filtered to 0.2 microns to minimize the potential for ion contamination, and are double-bagged to maintain cleanliness.

Product Qualities

- 100% continuous filament double-knit Polyester
- Greater than 25% better surface wipe drying than TEXWIPE VECTRA[®] ALPHA[®] 10 Wipers
- Our lowest particle and extractables offering
- Solvent- and abrasion-resistant
- Cleanroom laundered
- Laser-sealed edges
- Double-bagged with case liner
- Available in both 9" x 9" and 12" x 12" formats
- Certificate of Conformity available online at www.kcprofessional.com



TECHNICAL INFORMATION SERVICE

*Fax or e-mail your enquiry
We will respond within one
working day*

00 800 00 35 45 65



infofax@kcc.com





Kimberly-Clark
Professional^{*}

Product Specifications

Characteristic	Specification Target
Particle Generation	
Biaxial Shake, particles ≥ 0.5 microns	$8.9 \times 10^6/m^2$
Biaxial Shake, fibers ≥ 100 microns	$0.22 \times 10^9/m^2$
Total Extractables	
Deionized Water, g/m ²	0.02
Isopropyl Alcohol (IPA, isopropanol), g/m ²	0.06
Ions	
Sodium (Na ⁺), ppm	0.29
Potassium (K ⁺), ppm	0.15
Chloride (Cl ⁻), ppm	0.17
Absorbency	
Absorbent Capacity, ml/m ²	333
Absorbency Rate, seconds	1.0
Surface Wipe Drying [†] (Clean-Dry Technology), cm ²	936

All tests performed in accordance with IEST RP-CC004.3 unless noted otherwise.

[†] Surface Wipe Drying (Clean-Dry Technology) is a proprietary method that accurately measures the wiper's ability to pick up liquids. For more information, contact our INFOFAX Technical Information Service on 00800 00 35 45 65 or e-mail us at infofax@kcc.com

Code	Cleanroom Class		Delivery System	Color	Material	Size W x L	Case Content
	ISO	FS209					
CL3 7680	3	1	 Flat / Double Bag	○	Polyester	22.8 x 22.8cm ‡	20 x 50 = 1 000
7682	3	1	 Flat / Double Bag	○	Polyester	30.5 x 30.5cm ‡	20 x 50 = 1 000



‡ Wiper size measured before laundering.

TECHNICAL INFORMATION SERVICE

*Fax or e-mail your enquiry
We will respond within one working day*

00 800 00 35 45 65



infofax@kcc.com



® Registered Trademark or * Trademark of Kimberly-Clark Worldwide, Inc.
© 2006 KCWW. All Rights Reserved.
Texwipe Vectra® Alpha® 10 is a Registered Trademark of ITW Texwipe.
4325.01 GB 08.06