

KleenGuard[®]

Liquid & Particle Protection Apparel

A40

MEETS ANSI/ ISEA
101-1996 SIZING STANDARD

BREATHABLE,
MICROPOROUS
FILM LAMINATE



Typical Uses

- Fiberglass manufacturing
- Tank cleaning
- Utilities
- Liquid handling
- Pressure washing
- Maintenance/General manufacturing

- A80
- A70
- A65
- A60
- A40**
- A30
- A20
- A10

KLEENGUARD[®] A40 Coveralls

formerly KLEENGUARD[®] XP Apparel

COVERALLS – White

Zipper front

STYLE	SIZE	CASE COUNT
44302	M	25
44303	L	25
44304	X L	25
44305	XX L	25
44306	XXX L	25
44307	XXXX L	25

Zipper front, elastic wrists & ankles

STYLE	SIZE	CASE COUNT
44312	M	25
44313	L	25
44314	X L	25
44315	XX L	25
44316	XXX L	25
44317	XXXX L	25

Zipper front, elastic wrists, ankles, hood

STYLE	SIZE	CASE COUNT
44322	M	25
44323	L	25
44324	X L	25
44325	XX L	25
44326	XXX L	25
44327	XXXX L	25

Zipper front, elastic wrists, ankles, hood & boots

STYLE	SIZE	CASE COUNT
44332	M	25
44333	L	25
44334	X L	25
44335	XX L	25
44336	XXX L	25
44337	XXXX L	25

Zipper front Coverall To-Go

STYLE	SIZE	CASE COUNT
44344	XL	25
44345	XXL	25





PROPERTIES OF KLEENGUARD* A40 APPAREL FABRICS			
PHYSICAL PROPERTIES	TEST METHOD	KLEENGUARD* XP	TYVEK®
Tensile Strength (MD)	ASTM D5034	30.6 lbs	24 lbs
(CD)		21.4 lbs	17.5 lbs
Trapezoidal Tear (MD)	INDA IST 100.2	11.0 lbs	6.2 lbs
(CD)		7.2 lbs	5.2 lbs
Elongation (MD)	ASTM D5034	72%	31%
(CD)		89%	23%
Lint - # of particles >0.5 microns	INDA 160.1-92	761	1847
Flammability	CPSC 1610	Class 1	Class 1
BARRIER PROPERTIES	TEST METHOD	RESULTS	RESULTS
Hydrohead	AATCC 127-1998	187 mbar	112 mbar
Particle Holdout (0.3-0.5 microns)	Independent Lab	100%	88.4%

did you know


Over 3 million disabling work-related injuries occur in the U.S. annually.

Source: National Safety Council



KLEENGUARD* A40 Coveralls To-Go are individually wrapped to protect the product until it is ready to be worn. Ideal for workers on the go.

Coverall To-Go



Take the Challenge...
10% Savings Guaranteed!
See back cover for details

KLEENGUARD* A40 Accessories

LAB COAT – Snap front, chest & hip pocket

STYLE	SIZE	CASE COUNT
44452	M	30/cs
44453	L	30/cs
44454	XL	30/cs
44455	XXL	30/cs
44456	XXXL	30/cs

LAB COAT – No pockets

STYLE	SIZE	CASE COUNT
44432	M	30/cs
44433	L	30/cs
44434	XL	30/cs
44435	XXL	30/cs
44436	XXXL	30/cs

LAB COAT – 5 snap front elastic wrists, no pockets

STYLE	SIZE	CASE COUNT
44442	M	30/cs
44443	L	30/cs
44444	XL	30/cs
44445	XXL	30/cs
44446	XXXL	30/cs

SHIRT – 5 snap front

STYLE	SIZE	CASE COUNT
44402	M	50/cs
44403	L	50/cs
44404	XL	50/cs
44405	XXL	50/cs

PANTS – Elastic waist

STYLE	SIZE	CASE COUNT
44412	M	50/cs
44413	L	50/cs
44414	XL	50/cs
44415	XXL	50/cs

APRON

STYLE	SIZE	CASE COUNT
44481	28" x 40"	100/cs, bulk pack

BOOT COVERS - Elastic top

STYLE	SIZE	CASE COUNT
44491	Universal	400 ea/cs
44493	Vinyl sole, M/L	400 ea/cs
44495	Vinyl sole, XL/XXL	400 ea/cs

SHOE COVERS - Fully elasticized


STYLE	SIZE	CASE COUNT
44490	Universal	400 ea/cs
44492	Vinyl sole, M/L	400 ea/cs
44494	Vinyl sole, XL/XXL	400 ea/cs

SLEEVE PROTECTOR - White

STYLE	SIZE	CASE COUNT
44480	18"	200 ea/cs

KleenGuard[®]

Wear it. Want it. Brand



Kimberly-Clark guarantees that you'll see savings of 10% when you switch from TYVEK[®] Coveralls to the same style of KLEENGUARD[®] A30 or KLEENGUARD[®] A40 Coveralls after 30 days of exclusive usage of Kimberly-Clark Professional[®] KLEENGUARD[®] Coveralls. If not, Kimberly-Clark will reimburse you the difference, up to \$1000.

**Guarantee extended to consuming end-user accounts only.
Offer expires 12/31/06.**

from **gloves to apparel**

View our complete line of
**KLEENGUARD[®] Brand products at
www.KC-Safety.com**



A80	Chemical Permeation & Jet Liquid Protection Apparel
A70	Chemical Splash and Spray Protection Apparel
A65	Flame Resistant Apparel
A60	Bloodborne Pathogen & Chemical Splash Protection Apparel
A40	Liquid & Particle Protection Apparel
A30	Breathable Splash & Particle Protection Apparel
A20	Breathable Particle Protection Apparel
A10	Light Duty Apparel



Kimberly-Clark
Professional[®]



Brought to you by
Kimberly-Clark Professional

We're only a phone call away.
For more information, or for the name
of the Kimberly-Clark distributor
nearest you, call toll-free:

Customer Service:
1-800-255-6401

Fax:
1-800-579-3555

Technical Hotline:
1-800-851-7538

**▲ WARNINGS: Improper use or failure to heed warnings
may result in serious injury or death.**

Protective Apparel should be replaced immediately
if ripped, torn, abraded or punctured.

Fabrics are not flame resistant unless specified.
Keep away from sparks, flames and sources of ignition.
Melting fabric can cause severe burns.

It is the responsibility of the user to assess the level of
hazardous chemical exposure and then decide on the
appropriate personal protective equipment needed for
each circumstance.

The information provided within this literature refers
to the performance of the fabric only, in the laboratory
under controlled conditions.

Kimberly-Clark makes no representation that its
products will provide complete protection from
exposure to contaminants.

**FOR ADDITIONAL INFORMATION AND TEST METHODS,
VISIT WWW.KC-SAFETY.COM TO VIEW THE CHEMICAL
APPAREL RESISTANCE GUIDE.**

Kimberly-Clark warrants that its products comply with K-C's
standard specifications as of the delivery date to K-C's authorized
distributors. This warranty is in lieu of all other warranties,
express or implied, including any warranty of merchantability
or fitness for a particular purpose. K-C is not liable under this
warranty for any kind of special, incidental, or consequential
damages. K-C's liability for breach of contract, tort, or other cause
of action shall not exceed the product purchased price.
Purchasers and users are deemed to have accepted the above
warranty and limitation of liability, and cannot change the terms
by verbal agreement or by any writing not signed by K-C.

© Registered Trademarks and * Trademarks of Kimberly-Clark Worldwide, Inc.

© 2006 KCWW. All Rights Reserved.

KEVLAR, TYVEK and MYLAR are registered trademarks of E.I. DuPont de Nemours and Company.
SARANEX is a registered trademark of The Dow Chemical Company.

The safety facts do not constitute a product endorsement.

Q8292 QM-1326 3/06

www.kc-safety.com