



## Product Data Sheet

### **Attributes & Typical Physical Properties**<sup>◇</sup>

<b>Name:</b>	<b>SABEL Nonwoven with Ribknit Bond Pattern</b>
<b>Color:</b>	<b>Light Blue</b>
<b>Basis Weight:</b>	<b>126 grams /square meter</b>
<b>Air Permeability:</b>	<b>75 cubic feet of air/minute per square foot of nonwoven</b>
<b>Load at 50% Elongation:</b>	<b>450 grams force</b>
<b>Stretch-to-Stop:</b>	<b>200 %</b>
<b>Peel Strength:</b>	<b>500 grams force</b>
<b>Cross Direction Tensile Peak Load:</b>	<b>21 pounds force</b>
<b>Burst Strength Peak Load:</b>	<b>4000 grams force</b>
<b>Cohesion:</b>	<b>400 grams force</b>
<b>Production Reference:</b>	<b>NWRE-00694</b>

Revision NJZ 03/23/2013

---

<sup>◇</sup> Unless otherwise noted, the material described in this document is available for commercial sale and sold with a limited warranty. Kimberly-Clark Corporation and/or Kimberly-Clark Worldwide retains all intellectual property rights to this material, including trademarks and trade names. If the material described is defined as developmental, the material properties are estimates only and are not warranted by Kimberly-Clark Corporation.





# Nonwoven Substrates



Exceptional  
Workplaces

## Product Data Sheet

◊ Unless otherwise noted, the material described in this document is available for commercial sale and sold with a limited warranty. Kimberly-Clark Corporation and/or Kimberly-Clark Worldwide retains all intellectual property rights to this material, including trademarks and trade names. If the material described is defined as developmental, the material properties are estimates only and are not warranted by Kimberly-Clark Corporation.

1400 Holcomb Bridge Road  
Roswell, Georgia 30076-2199  
Phone: 770-587-8000  
[www.kcprofessional.com](http://www.kcprofessional.com)

