| Version 1.2 | Revision Date: 02/28/2020 | | DS Number: 00103464303 | Date of last issue: 12-19-2018 Date of first issue: 10-31-2018 | |
|----------------------|--|------|--|---|--|
| SECTIO | N 1. IDENTIFICATION | | | | |
| Proc | duct name | : | Scott® Control U | tra* Moisturizing Foam Hand Sanitizer | |
| Proc | duct code | : | 34643 | | |
| Manufac | turer or supplier's deta | ils | | | |
| Company Telephone | | | Kimberly-Clark Corporation 1400 Holcomb Bridge Road Roswell 30076-2199 USA 1-888-346-4652 | | |
| Em | ergency telephone | : | 1-877-561-6587 | | |
| Tra | nsport Emergency | : | CHEMTREC: 1- | 800-424-9300 | |
| | ail address ponsible/issuing person | : | sdscontact@kcc. | com | |
| Rec | ommended use of the o | chen | nical and restriction | ons on use | |
| Rec | ommended use | : | Skin-care | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS Classification Flammable liquids | : | Category 2 |
|---|---|--|
| Eye irritation | : | Category 2B |
| GHS label elements Hazard pictograms | : | |
| Signal Word | : | Danger |
| Hazard Statements | : | H225 Highly flammable liquid and vapor. H320 Causes eye irritation. |
| Precautionary Statements | : | Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water |

| ersion 2 | Revision Date: 02/28/2020 | SDS Number: N00103464303 | Date of last issue: 12-19-2018 Date of first issue: 10-31-2018 |
|-------------|------------------------------|---|--|
| | | to do. Continue | utes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ |
| | | Storage: P403 + P235 S | tore in a well-ventilated place. Keep cool. |
| | | Disposal: P501 Dispose o disposal plant. | of contents/ container to an approved waste |
| •• | r hazards | f the mixture consists (| of ingradiant(s) with unknown acute toxicity: |
| | 323 % | | of ingredient(s) with unknown acute toxicity: |

Substance / Mixture : Mixture

Chemical nature : Mixture

Hazardous ingredients

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------|---------|-----------------------|
| Ethanol | 64-17-5 | >= 50 - < 70 |
| propan-2-ol | 67-63-0 | >= 1 - < 5 |

SECTION 4. FIRST AID MEASURES

| General advice | : | No hazards which require special first aid measures. |
|---|---|--|
| If inhaled | : | Not required under normal use. |
| In case of skin contact | : | No hazards which require special first aid measures. |
| In case of eye contact | : | Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists. |
| If swallowed | : | Not required under normal use. |
| Most important symptoms and effects, both acute and delayed | : | None known. |

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | : | Alcohol-resistant foam Dry chemical Carbon dioxide (CO2) |
|------------------------------|---|--|
| Unsuitable extinguishing | : | Water spray jet |

| Vers 1.2 | sion | Revision Date: 02/28/2020 | | DS Number: 00103464303 | Date of last issue: 12-19-2018 Date of first issue: 10-31-2018 |
|-------------|---------------------|------------------------------------|---|-------------------------------------|---|
| | media | | | | |
| | Specifi fighting | c hazards during fire | : | Highly flammable | liquid and vapor. |
| | Hazaro produc | lous combustion ts | : | Carbon monoxide hydrocarbons (sn | e, carbon dioxide and unburned noke). |
| | Specifi method | c extinguishing ds | : | | measures that are appropriate to local d the surrounding environment. |
| | Furthe | r information | : | Standard procedu | ure for chemical fires. |
| | • | I protective equipment fighters | : | In the event of fire | e, wear self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : | Ensure adequate ventilation. Remove all sources of ignition. |
|---|---|---|
| Environmental precautions | : | Try to prevent the material from entering drains or water courses. |
| Methods and materials for containment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Shovel into suitable container for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : | Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). |
|---|---|---|
| Advice on safe handling | : | No special precautions required. |
| Conditions for safe storage | : | Keep containers tightly closed in a cool, well-ventilated place. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|---------|-------------------------------------|---|-----------|
| Ethanol | 64-17-5 | TWA | 1,000 ppm 1,900 mg/m3 | OSHA Z-1 |
| | | TWA | 1,000 ppm 1,900 mg/m3 | OSHA P0 |
| | | TWA | 1,000 ppm | NIOSH REL |

| | 1 | | 1 | 1,900 mg/m3 | |
|----------------------|---|--|--|--|--|
| | | | STEL | 1,000 ppm | ACGIH |
| -2-ol | | 67-63-0 | TWA | | ACGIH |
| | | | STEL | 400 ppm | ACGIH |
| | | | TWA | 400 ppm 980 mg/m3 | OSHA Z-1 |
| | | | TWA | 400 ppm 980 mg/m3 | OSHA P0 |
| | | | STEL | 500 ppm | OSHA P0 |
| | | | TWA | 400 ppm 980 mg/m3 | NIOSH REI |
| | | | ST | 500 ppm | NIOSH REI |
| ering measures | : | none | | | |
| al protective equipr | nent | | | | |
| atory protection | : | No personal required. | respiratory p | rotective equipment nor | mally |
| rotection | | | | | |
| narks | : | not required | under norma | luse | |
| otection | : | not required | under norma | luse | |
| d body protection | : | not required | under norma | luse | |
| ive measures | : | No special p | protective equi | ipment required. | |
| e measures | : | General indu | ustrial hygiene | e practice. | |
| | al protective equipm atory protection rotection harks btection d body protection ive measures | ering measures : al protective equipment atory protection : rotection harks : otection : d body protection : ive measures : | ering measures : none al protective equipment none al protective equipment none not required not required | -2-ol 67-63-0 TWA STEL TWA TWA TWA STEL TWA STEL TWA STEL TWA STEL TWA STEL TWA STEL STEL rering measures : none all protective equipment ST atory protection : No personal respiratory prequired. rotection : not required under norma bactection : not required under norma otection : not required under norma ive measures : No special protective equired | 2-ol 67-63-0 TWA 200 ppm STEL 400 ppm TWA 400 ppm 980 mg/m3 TWA 400 ppm 980 mg/m3 TWA 400 ppm 980 mg/m3 STEL 500 ppm 1,225 mg/m3 TWA 400 ppm 980 mg/m3 STEL 500 ppm 1,225 mg/m3 TWA 400 ppm 980 mg/m3 ST 500 ppm 1,225 mg/m3 ering measures : none mal protective equipment atory protection : No personal respiratory protective equipment nor required. rotection : narks : interquired under normal use otection : interquired under normal use id body protection : ive measures : No special protective equipment required. |

| Appearance | : liquid | |
|------------------------------|-----------------------------|--|
| Color | : No information available. | |
| Odor | : No information available. | |
| Odor Threshold | : No information available. | |
| рН | : 5 | |
| Melting point/freezing point | : No data available | |
| Boiling point/boiling range | : No data available | |
| Flash point | : 16 °C | |
| Evaporation rate | : No information available. | |

| Versio 1.2 | n Revision Date: 02/28/2020 | | S Number: 0103464303 | Date of last issue: 12-19-2018 Date of first issue: 10-31-2018 |
|---------------|--|---|-------------------------|---|
| В | urning rate | : | No data available | 9 |
| | Upper explosion limit | | 19 %(V) | |
| L | Lower explosion limit | | 2 %(V) | |
| R | elative vapor density | : | No information a | vailable. |
| R | elative density | : | 0.875 | |
| D | ensity | : | No data available | 9 |
| В | ulk density | : | No data available | 9 |
| S | olubility(ies) Water solubility | : | No information a | vailable. |
| | artition coefficient: n- ctanol/water | : | No information a | vailable. |
| A | utoignition temperature | : | > 425 °C | |
| D | ecomposition temperature | : | No data available | 9 |
| V | iscosity Viscosity, dynamic | : | 250 mPa.s | |
| | Viscosity, kinematic | : | No information a | vailable. |
| E | xplosive properties | : | No data available | 9 |
| O | oxidizing properties | : | No data available | 9 |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | | Not classified as a reactivity hazard. |
|------------------------------------|---|--|
| Chemical stability | : | Stable |
| Possibility of hazardous reactions | : | Keep away from oxidizing agents, and acidic or alkaline products. |
| Conditions to avoid | : | Heat, flames and sparks. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition products | : | Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |

| Version 1.2 | Revision Date: 02/28/2020 | SDS Number: N00103464303 | Date of last issue: 12-19-2018 Date of first issue: 10-31-2018 | | |
|----------------|--|-----------------------------------|---|--|--|
| SECTION | N 11. TOXICOLOGICA | L INFORMATION | | | |
| Acu | te toxicity | | | | |
| | duct: | | | | |
| | e oral toxicity | : Acute toxicity Method: Calcu | estimate: > 5,000 mg/kg lation method | | |
| Com | nponents: | | | | |
| Etha | anol: | | | | |
| Acut | e oral toxicity | | ile and female): 10,470 mg/kg D Test Guideline 401 | | |
| Acut | e inhalation toxicity | | ile and female): 124.7 mg/l D Test Guideline 403 | | |
| Skin | Skin corrosion/irritation | | | | |
| | <u>luct:</u> ult: No skin irritation | | | | |
| <u>Com</u> | ponents: | | | | |
| Etha | Ethanol: | | | | |
| Meth Resi | cies: Rabbit nod: OECD Test Guide ult: No skin irritation ': yes | line 404 | | | |
| Seri | ous eye damage/eye | irritation | | | |
| | <u>duct:</u> ult: Mild eye irritant | | | | |
| Com | nponents: | | | | |
| Etha | anol: | | | | |
| Resi | cies: Rabbit ult: Irritation to eyes, re nod: OECD Test Guide ': no | | 3 | | |
| Res | piratory or skin sensi | itization | | | |
| | <u>duct:</u> | | | | |
| Rem | Remarks: Based on available data, the classification criteria are not met. | | | | |

| Version | Revision Date: | SDS Number: | Date of last issue: 12-19-2018 |
|---------|----------------|--------------|---------------------------------|
| 1.2 | 02/28/2020 | N00103464303 | Date of first issue: 10-31-2018 |

Components:

Ethanol:

Species: Mouse Assessment: Does not cause skin sensitization. Method: OECD Test Guideline 429 Result: Did not cause sensitization on laboratory animals. GLP: no

| Carcinogenicity | |
|-----------------|--|
| IARC | No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| | No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. |
| | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. |
| NTP | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |

STOT-single exposure

Product:

Remarks: Not applicable

STOT-repeated exposure

Product:

Remarks: Not applicable

Repeated dose toxicity

Components:

propan-2-ol:

Species: Rat, male and female NOAEL: 5000 parts per million Application Route: Inhalation

| 1.2 02/28/2020 N00103464303 Date of first issue: 10-31- | -31-2018 |
|---|----------|
|---|----------|

Test atmosphere: vapor Exposure time: 6 hours/day Number of exposures: 5 days/week for 104 weeks Dose: 0, 500, 2500, 5000 ppm Group: yes Method: see user defined free text GLP: yes

Aspiration toxicity

Product:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

| Ethanol: | |
|---|--|
| Toxicity to fish | LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l Exposure time: 96 h Test Type: flow-through test |
| Toxicity to daphnia and other : aquatic invertebrates | EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l Exposure time: 48 h Test Type: static test |
| Toxicity to algae : | EC50 (Pseudokirchneriella subcapitata (green algae)): 275 mg/l Exposure time: 72 h Test Type: static test |
| Persistence and degradability | |
| No data available | |
| Bioaccumulative potential No data available | |
| Mobility in soil | |
| No data available | |
| Other adverse effects | |
| No data available | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | | |
|------------------------|---|--|
| Waste from residues | : Dispose of in accordance with local regulations | |
| Contaminated packaging | : Dispose of as unused product. | |

| Version 1.2 | Revision Date: 02/28/2020 | | OS Number: 00103464303 | Date of last issue: 12-19-2018 Date of first issue: 10-31-2018 |
|----------------|---|-------|--|---|
| | | | Do not re-use e | empty containers. |
| SECTION | 14. TRANSPORT INF | ORM | ATION | |
| Inter | national Regulations | | | |
| Prope Class | umber er shipping name s ing group | : : : | UN 1987 ALCOHOLS, N 3 II 3 | .O.S. |
| UN/I | -DGR D No. er shipping name | : | UN 1987 Alcohols, n.o.s. (Ethanol, Isopi | |
| Labe | ing group ls ing instruction (cargo | | 3 II Class 3 - Flam 364 | |
| UN n | 3-Code umber er shipping name | : | UN 1987 ALCOHOLS, N (Ethanol, Isopi | |
| Labe EmS | ing group | | 3 II 3 F-E, S-D no | |
| | Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied. | | RPOL 73/78 and the IBC Code | |
| Dom | estic regulation | | | |
| | FR D/NA number er shipping name | : | UN 1987 ALCOHOLS, N (Ethanol,) | .O.S. |
| Labe ERG | ing group | | 3 II FLAMMABLE L 127 no | IQUID |

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

Scott® Control Ultra* Moisturizing Foam Hand Sanitizer

| sion | Revision Dat 02/28/2020 | | Number: 103464303 | Date of last issue: 12-19-20 Date of first issue: 10-31-20 | |
|--------|-------------------------------|---|--|---|--|
| This r | | ot contain any o | - | oortable Quantity a section 304 EHS RQ. | |
| SAR | A 302 | | | his material are subject to the SARA Title III, Section 302. | e reporting |
| SAR | A 313 | | The following components are subject to reporting levels established by SARA Title III, Section 313: | | |
| | | p | propan-2-ol | 67-63-0 | 4.9995 % |
| US S | tate Regulation | IS | | | |
| Mass | achusetts Righ | nt To Know | | | |
| | Etha prop | nol an-2-ol | | 64-17-5 67-63-0 | 60 - 70 % 1 - 5 % |
| Penn | sylvania Right | To Know | | | |
| | | - | ol | 64-17-5 7732-18-5 67-63-0 75-65-0 | 60 - 70 % 20 - 30 % 1 - 5 % 0 - 0.1 % |
| New | Jersey Right Te | o Know | | | |
| | Etha Wate prop Silos | nol er an-2-ol «anes and Silic | cones, di-Me, 3- up-terminated, et | 64-17-5 7732-18-5 67-63-0 102783-01-7 hoxylated | 60 - 70 % 20 - 30 % 1 - 5 % 1 - 5 % |
| New | York City Haza | rdous Substa | nces | | |
| Califo | prop prnia Prop. 65 | 5 | | 67-63-0 s not contain any chemicals l a to cause cancer, birth, or a ects. | |
| Califo | ornia List of Ha | zardous Subs | stances | | |
| | prop | an-2-ol | | 67-63-0 | |
| Califo | ornia Permissik | ole Exposure | Limits for Chem | nical Contaminants | |
| | prop | an-2-ol | | 67-63-0 | |
| The i | ngredients of t | his product a | re reported in th | ne following inventories: | |
| | | Т | | tances in this product are eit or are in compliance with a T | |

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


| Version | Revision Date: | SDS Number: | Date of last issue: 12-19-2018 |
|---------|----------------|--------------|---------------------------------|
| 1.2 | 02/28/2020 | N00103464303 | Date of first issue: 10-31-2018 |

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act: SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information



| Version | Revision Date: | SDS Number: | Date of last issue: 12-19-2018 |
|---------|----------------|--------------|---------------------------------|
| 1.2 | 02/28/2020 | N00103464303 | Date of first issue: 10-31-2018 |

Revision Date : 02/28/2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8