

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

Version 1.0      Revision Date: 06-24-2019      SDS Number: 100000001004      Date of last issue: -  
Date of first issue: 06-24-2019

---

### SECTION 1. IDENTIFICATION

Product name : KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

Product code : 06070

#### Manufacturer or supplier's details

Company : Kimberly-Clark Corporation  
1400 Holcomb Bridge Road  
Roswell  
30076-2199  
USA

Telephone : 1-888-346-4652

Emergency telephone : 1-877-561-6587

Transport Emergency : CHEMTREC: 1-800-424-9300

E-mail address Responsible/issuing person : sdscontact@kcc.com

#### Recommended use of the chemical and restrictions on use

Restrictions on use : For professional users only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

Eye irritation : Category 2A

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.  
H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces.  
No smoking.  
P233 Keep container tightly closed.

---

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

Version 1.0      Revision Date: 06-24-2019      SDS Number: 100000001004      Date of last issue: -  
Date of first issue: 06-24-2019

---

P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Alcoholic solution

### Hazardous ingredients

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------|---------|-----------------------|
| propan-2-ol   | 67-63-0 | >= 70 - < 90          |

---

## SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.  
If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
In case of skin contact : Not required under normal use.  
Get medical attention if irritation develops and persists.  
In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 06-24-2019     | 10000001004 | Date of first issue: 06-24-2019 |

---

If swallowed : Drink 1 or 2 glasses of water.  
Never give anything by mouth to an unconscious person.  
If large quantities of this material are swallowed, call a physician immediately.

Most important symptoms and effects, both acute and delayed : No hazards which require special first aid measures.

Notes to physician : No hazards which require special first aid measures.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : No information available.

Specific hazards during fire fighting : Fire Hazard  
Highly flammable liquid and vapor.

Hazardous combustion products : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Further information : Use water spray to cool unopened containers.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Remove all sources of ignition.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Collect in plastic or metal containers for disposal.

---

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Vapors are heavier than air and may spread along floors.  
Keep away from open flames, hot surfaces and sources of ignition.

SAFETY DATA SHEET

**KIMTECH PURE\* W4 Pre-Sat Wipers - 70%  
Isopropyl Alcohol**

Version 1.0      Revision Date: 06-24-2019      SDS Number: 10000001004      Date of last issue: -  
Date of first issue: 06-24-2019

Advice on safe handling : Do not breathe vapors/dust.  
Keep away from heat and flame.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Ingredients with workplace control parameters**

| Ingredients | CAS-No. | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|-------------|---------|----------------------------------|--|-----------|
| propan-2-ol | 67-63-0 | TWA                              | 200 ppm  | ACGIH     |
|             |         | STEL                             | 400 ppm  | ACGIH     |
|             |         | TWA                              | 400 ppm<br>980 mg/m3                           | OSHA Z-1  |
|             |         | TWA                              | 400 ppm<br>980 mg/m3                           | OSHA P0   |
|             |         | STEL                             | 500 ppm<br>1,225 mg/m3                         | OSHA P0   |
|             |         | TWA                              | 400 ppm<br>980 mg/m3                           | NIOSH REL |
|             |         | ST                               | 500 ppm<br>1,225 mg/m3                         | NIOSH REL |

**Biological occupational exposure limits**

| Ingredients | CAS-No. | Control parameters | Biological specimen | Sampling time                    | Permissible concentration | Basis        |
|-------------|---------|--------------------|---------------------|----------------------------------|---------------------------|--------------|
|             | 67-63-0 | Acetone            | Urine               | End of shift at end of work-week | 40 mg/l                   | ACGIH<br>BEI |

**Engineering measures** : none

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : not required under normal use

Eye protection : Safety glasses

Skin and body protection : Not required under normal use.

Protective measures : No special protective equipment required.

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|                |                              |                             |  |
|----------------|------------------------------|-----------------------------|--|
| Version<br>1.0 | Revision Date:<br>06-24-2019 | SDS Number:<br>100000001004 | Date of last issue: -<br>Date of first issue: 06-24-2019 |
|----------------|------------------------------|-----------------------------|--|

---

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Wash hands before breaks and immediately after handling the product.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid absorbed by inert carrier material

Color : white

Odor : alcohol-like

pH : Not applicable

Melting point/range : Not applicable

Boiling point/boiling range : Not applicable

Flash point : 25 °C

Evaporation rate : No data available

Burning rate : No data available

Upper explosion limit : 12.7 %(V)

Lower explosion limit : 2.0 %(V)

Vapor pressure : No data available

Relative vapor density : 2.1  
(Air = 1.0)

Density : No data available

Bulk density : No data available

Solubility(ies)  
Water solubility : completely soluble

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 06-24-2019     | 100000001004 | Date of first issue: 06-24-2019 |

---

|                      |   |                   |
|----------------------|---|-------------------|
| Viscosity, kinematic | : | No data available |
| Flow time            | : | No data available |
| Explosive properties | : | No data available |
| Oxidizing properties | : | No data available |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | Stable under recommended storage conditions.  |
| Chemical stability                 | : | No decomposition if stored and applied as directed.                                   |
| Possibility of hazardous reactions | : | Stable under recommended storage conditions.<br>No decomposition if used as directed. |
| Conditions to avoid                | : | Heat, flames and sparks.  |
| Incompatible materials             | : | Strong oxidizing agents   |
| Hazardous decomposition products   | : | Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).                    |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact

#### Acute toxicity

#### Ingredients:

#### **propan-2-ol:**

|                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 Oral (Rat): 5,840 mg/kg<br>Method: OECD Test Guideline 401<br>GLP: no                                    |
| Acute inhalation toxicity | : | LC50 (Rat, male and female): > 10000 ppm<br>Exposure time: 6 h<br>Method: OECD Test Guideline 403<br>GLP: yes |
| Acute dermal toxicity     | : | LD50 Dermal (Rabbit): 12,800 mg/kg<br>Method: OECD Test Guideline 402<br>GLP: no                              |

#### Skin corrosion/irritation

#### Product:

Remarks: May cause skin irritation in susceptible persons.

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 06-24-2019     | 10000001004 | Date of first issue: 06-24-2019 |

---

### Ingredients:

#### **propan-2-ol:**

Species: Rabbit  
Method: No information available.  
Result: No skin irritation  
GLP: no

#### **Serious eye damage/eye irritation**

### Product:

Remarks: Contact with eyes may cause irritation.

### Ingredients:

#### **propan-2-ol:**

Species: Rabbit  
Result: Irritating to eyes.  
Method: OECD Test Guideline 405  
GLP: no

#### **Respiratory or skin sensitization**

### Product:

Remarks: No data available

### Ingredients:

#### **propan-2-ol:**

Test Type: Buehler Test  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Did not cause sensitization on laboratory animals.  
GLP: yes

#### **Germ cell mutagenicity**

### Product:

Germ cell mutagenicity - Assessment : Contains no ingredient listed as a mutagen

#### **Carcinogenicity**

### Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

### **IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|                |                              |                             |  |
|----------------|------------------------------|-----------------------------|--|
| Version<br>1.0 | Revision Date:<br>06-24-2019 | SDS Number:<br>100000001004 | Date of last issue: -<br>Date of first issue: 06-24-2019 |
|----------------|------------------------------|-----------------------------|--|

---

human carcinogen by IARC.

### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

#### Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

### STOT-single exposure

#### Product:

Remarks: No data available

### STOT-repeated exposure

#### Product:

Remarks: No data available

### Further information

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.  
Concentrations substantially above the TLV value may cause narcotic effects.  
Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : Remarks: No information available.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No information available.

Toxicity to algae : Remarks: No information available.

#### Ingredients:

**propan-2-ol:**



# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 06-24-2019     | 10000001004 | Date of first issue: 06-24-2019 |

---

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: no

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9,714 mg/l  
Exposure time: 24 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: no

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No information available.

### Bioaccumulative potential

No data available

### Mobility in soil

#### Product:

Mobility : Remarks: No information available.

### Other adverse effects

#### Product:

Results of PBT and vPvB assessment : Remarks: Based on available data, the classification criteria are not met.

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : There is no data available for this product.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 06-24-2019     | 10000001004 | Date of first issue: 06-24-2019 |

---

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3175  
Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.  
Class : 4.1  
Packing group : II  
Labels : 4.1

##### IATA-DGR

UN/ID No. : UN 3175  
Proper shipping name : Solids containing flammable liquid, n.o.s.  
(Isopropanol)  
Class : 4.1  
Packing group : II  
Labels : <\*\* Description for Danger Label not available: [ Z8 ] DangerLabelNo 4.1 DG regulation IATA\_C \*\*>  
Packing instruction (cargo aircraft) : 448

##### IMDG-Code

UN number : UN 3175  
Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.  
(Isopropanol)  
Class : 4.1  
Packing group : II  
Labels : 4.1  
EmS Code : F-A, S-I  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

UN/ID/NA number : UN 3175  
Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.  
( )  
Class : 4.1  
Packing group : II  
Labels : <\*\* Description for Danger Label not available: [ Z8 ] DangerLabelNo 4.1 DG regulation CFR \*\*>  
ERG Code : 133  
Marine pollutant : no

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 06-24-2019     | 100000001004 | Date of first issue: 06-24-2019 |

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

|             |         |      |
|-------------|---------|------|
| propan-2-ol | 67-63-0 | 70 % |
|-------------|---------|------|

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

|             |         |      |
|-------------|---------|------|
| propan-2-ol | 67-63-0 | 70 % |
|-------------|---------|------|

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### US State Regulations

##### Massachusetts Right To Know

|             |         |           |
|-------------|---------|-----------|
| propan-2-ol | 67-63-0 | 70 - 80 % |
|-------------|---------|-----------|

##### Pennsylvania Right To Know

|             |           |           |
|-------------|-----------|-----------|
| propan-2-ol | 67-63-0   | 70 - 80 % |
| Water       | 7732-18-5 | 30 - 40 % |

##### New Jersey Right To Know

|             |           |           |
|-------------|-----------|-----------|
| propan-2-ol | 67-63-0   | 70 - 80 % |
| Water       | 7732-18-5 | 30 - 40 % |

##### New York City Hazardous Substances

|             |         |           |
|-------------|---------|-----------|
| propan-2-ol | 67-63-0 | 70 - 80 % |
|-------------|---------|-----------|

**California Prop. 65** This product does not contain any chemicals known to the

# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 06-24-2019     | 10000001004 | Date of first issue: 06-24-2019 |

State of California to cause cancer, birth, or any other reproductive defects.

### California List of Hazardous Substances

propan-2-ol 67-63-0

### California Permissible Exposure Limits for Chemical Contaminants

propan-2-ol 67-63-0

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative


# SAFETY DATA SHEET

## KIMTECH PURE\* W4 Pre-Sat Wipers - 70% Isopropyl Alcohol

Version 1.0      Revision Date: 06-24-2019      SDS Number: 100000001004      Date of last issue: -  
Date of first issue: 06-24-2019

### Further information

#### NFPA:



#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 0 |
| FLAMMABILITY    | 3 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 06-24-2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8