



KLEENGUARD™

PERSONAL PROTECTION SOLUTIONS



OUR PROMISE

For 150 years, we've been there for our customers. Helping to make workplaces hygienic, safe, productive and sustainable — through unmatched expertise, world-class brands and game-changing innovation.

As a trusted partner, we're here to help you grow and thrive in the years ahead. That's our promise. Partner with us to elevate every experience, with choices that are uniquely yours. Because together, we'll move your business forward.





PERSONAL PROTECTION SOLUTIONS

We offer protection and comfort without compromise — to safeguard workers, their environments and work processes. Our full range of personal protection products are designed to meet the needs of virtually any facility, while enhancing efficiency and performance. We also offer something that our competitors do not: a way to divert used PPE from the landfill through The RightCycle™ Program. Turn to KleenGuard™ and Kimtech™ Solutions to enhance safety, compliance and sustainability in your workplace.



SOLUTIONS TO MATCH YOUR NEEDS

To make selection easier, we've simplified how our KleenGuard™ product categories are organized. We now offer three tiers: Essential, Plus and Premium. This enables you to choose the performance levels and features that fit your budget and the risks associated with the specific application. It's all about providing you with more choices so you can find the solution that's right for you.





ESSENTIAL

\$

\$



Standard features and benefits



PLUS



\$	\$ \$
◆	Enhanced features and benefits



PREMIUM



\$	\$ \$ \$
◆	Advanced features and benefits



By Kimberly-Clark Professional®

**Giving Single-Use Apparel,
Gloves, Respirators and
Safety Eyewear a New Life**

What is THE RIGHTCYCLE™ PROGRAM by Kimberly-Clark Professional?


Sustainability matters to you and to us. That's why we created The RightCycle™ Program, the first large-scale recycling program for non-hazardous lab, cleanroom and industrial waste. Since 2011, we've helped hundreds of customers divert more than 3.7 million pounds of waste. We can do the same for you by turning your used single-use apparel items, safety eyewear, respirators and nitrile gloves into patio furniture and other useful products.

At Kimberly-Clark Professional, we're always working to reduce the environmental impact of our products. Reducing our dependence on the world's natural resources, leaves more for the future — for our children, for the planet and for our businesses. We strive to help customers like you reach your zero waste-to-landfill goals. The RightCycle™ Program is part of this commitment and one very important way for us to work together, one ton of waste at a time.


**3.7 MILLION
POUNDS** and
counting —
waste diverted
since 2011



Apparel items, eyewear, respirators and nitrile gloves are worn in your facility.



Used products are collected and shipped to our recycling centers.



Used products are sorted and processed into plastic pellets.



Materials are molded into new plastic products and durable goods.

For more information, visit:
The RightCycle™ Program | Kimberly-Clark Professional
KCPProfessional.com



Look for this symbol to see which products are eligible for recycling



PROTECTIVE CLOTHING





SINGLE-USE PROTECTIVE CLOTHING

KleenGuard™ protective clothing is the first line of defense against contamination — for protecting people, performance and productivity. Our human-centric designs allow workers the freedom to do their best work, without interruption. Powering this global brand of single-use protective clothing is our internal expertise and manufacturing of nonwoven materials. Kimberly-Clark Professional is credited with creating the Spunbond Meltblown Spunbond (SMS) material used in single-use protective clothing. Our breathable fabrics keep workers cool and comfortable, while our Reflex® Design provides a fuller cut and freedom of movement — enabling workers to move freely while staying protected.

Work-related skin diseases account for approximately 50% of occupational illnesses and are responsible for an estimated 25% of all lost work days.¹

¹ Occupational Skin Disease, University of Arizona Study



PROTECTIVE CLOTHING

All KleenGuard™ Protective Clothing is designed with human-centric engineering that enables rather than inhibits — allowing for maximum productivity and safety. To select the right protective clothing choice, you must first identify the hazard, then the task. See the charts below to determine the right selection for your workplace and application.

PRODUCT BY HAZARD

		HAZARDOUS PARTICULATE / AEROSOLS / LOW HAZARD LIMITED SPLASH	HAZARDOUS PARTICULATE / AEROSOLS / LOW HAZARD LIGHT LIQUID SPLASH	CHEMICAL
PREMIUM ✓✓✓		<ul style="list-style-type: none"> A30 Coveralls 	<ul style="list-style-type: none"> A40 Coveralls A40 Accessories 	<ul style="list-style-type: none"> A70 Coveralls A70 Accessories A71 Coveralls A80 Coveralls
PLUS ✓✓✓		<ul style="list-style-type: none"> A20 Coveralls A20 Accessories 	<ul style="list-style-type: none"> A45 Coveralls 	
	NON-HAZARDOUS PARTICULATE		NON-HAZARDOUS PARTICULATE AND LIGHT SPLASH	
ESSENTIAL ✓✓✓	<ul style="list-style-type: none"> KGA10 Coveralls KGA10 Accessories A10 Accessories 	<ul style="list-style-type: none"> KGA20 Coveralls 	<ul style="list-style-type: none"> A35 Coveralls 	

Symbols Key



Product complies with the
Trade Agreements Act



Reflex® Coverall Design







Recyclable with RightCycle
by Kimberly-Clark Professional®

SELECTING THE RIGHT PROTECTION

The purpose of protective clothing is to safeguard the wearer from workplace hazards when engineering, work practices and administrative controls are not feasible or do not provide sufficient protection.

In those instances, protective clothing should be used as a supplementary method of control. Selecting the right protective garment is critical and must be based on anticipated hazards, specific job tasks and working conditions. To achieve maximum safety and compliance, it's essential to consider form and function as well as fit and comfort.

	HAZARDS	TASKS	 Metal & Heavy Equipment	 Transportation	 Oil & Gas	 Food	 Mining	 Agriculture	 Manufacturing	 Construction
A20 KGA10 KGA20	Non-hazardous dust, particulates, sanding debris	Sanding/grinding surfaces	✓	✓	✓				✓	✓
A20 KGA10 KGA20	Non-hazardous particulates, e.g., sawdust, MDF, drywall, dusts	Cutting, milling, sanding, sweeping		✓					✓	✓
A40 A35 KGA20	Dirt/grime, grease, cleaning products	Machine/vehicle maintenance light janitorial	✓	✓	✓	✓	✓	✓	✓	
A20 KGA10 KGA20	Woodworking, masonry, brick, mortar/concrete dusts and debris	Sanding, cutting, drilling, turning, staining/painting							✓	✓
A20 KGA10 KGA20	Fiberglass, cellulose particles	Insulation installation/removal		✓					✓	✓
A20 A30 A40	Hazardous particulates, e.g., asbestos, lead, mold, radioactive particulates	Demolition, remediation, abatement, site inspection or preparation	✓	✓			✓			✓
A20 A30	Coal dust, silica	Ore extraction, site cleanup, transportation, mechanical handling			✓		✓			✓
A20 A40	Powders, dry pharmaceuticals	Powder handling, milling, pharma				✓		✓	✓	
A20	Sparks, cuts, abrasion, small flying debris, metalworking	Welding, metal grinding, polishing, surface prep/finishing, assembly	✓	✓	✓		✓		✓	✓
A40	Dilute, non- or low-hazard liquid chemical splash	Low-pressure industrial cleaning, tank cleaning, parts cleaning	✓	✓	✓	✓	✓	✓	✓	✓
A40	Dilute acids	Brick cleaning, surface prep/cleaning	✓	✓					✓	✓
A40 A70	Wet, slippery floors	Food processing wash down	✓	✓	✓	✓			✓	✓
A40	Disinfectant, detergent, soap, surfactant	Equipment sanitation and disinfection		✓		✓	✓	✓	✓	

										
	HAZARDS	TASKS	Metal & Heavy Equipment	Transportation	Oil & Gas	Food	Mining	Agriculture	Manufacturing	Construction
A20 (dry) A40 (wet)	Lime/caustic handling (dry bricks, powders or liquid solutions)	Concrete and mortar mixing, pouring and finishing							✓	
A20 A30 A40	Paint overspray/dry particulates	Spray painting, powder coating	✓	✓					✓	
A40	Paint overspray, non-hazardous aerosol, mist/light liquid contact	Spray painting	✓	✓					✓	✓
A40 A70	Paint overspray, heavy liquid contact	Spray painting	✓	✓					✓	✓
A70 A71	Heavy liquid paint splashes	Mixing, clean up	✓	✓					✓	
A20 ² A40 ³	Spray foam	Insulation installation							✓	✓
A70 A71	Drilling muds	Oil drilling, fracking			✓					
A40 A70	Resins	Composites/fiberglass layup		✓						
A40	Sewage, animal waste, blood borne pathogens ¹ —light exposure	Livestock handling/processing, sewage purification, waste management, crime scene investigation/cleanup, plowing				✓		✓		
A71	Sewage, animal waste, blood borne pathogens ¹ —heavy exposure	Livestock handling/slaughter/processing, sewage purification, waste management, crime scene cleanup				✓		✓		
A20	Solid/granular fertilizers, grain dust/animal feed	Crop treatment, grain handling				✓		✓		
A40	Dilute sprayed pesticides—low/moderate splash (low vapor)	Crop spraying/facilities maintenance						✓		
A71 A80	Chemical splash	Chemical transportation, handling, tank/equipment cleaning, site remediation, chip etching	✓	✓	✓	✓			✓	✓
A20	Textiles and paper processing	Paper processing, textile manufacturing							✓	
A20	Cotton, textile dust and fiber exposure (BG)	Production of new fiber, cutting operations						✓	✓	
A40 A70	Adhesives	Bonding, gluing, sealing	✓	✓					✓	✓


¹ Not for medical use² Incidental contact³ Heavy contact

SELECTING THE RIGHT GARMENT


Selecting the right protective garment is critical and must be based on anticipated contaminants and hazards, specific job tasks and working conditions. To achieve maximum safety and compliance, it's essential to consider form and function as well as fit and comfort.

Before selecting a garment, it is important to select the fabric and seam construction that match the hazard.


FABRICS



SMS Fabrics — are particularly well-suited to providing breathability while still offering protection from dry particulates and limited light splashes



Microporous Laminate Fabrics — provide enhanced splash and particulate protection compared to SMS while still providing some limited breathability




Chemical Barrier Laminate Fabrics — fabrics with layers of polymer films that are designed to provide specific chemical protection and/or heavier liquid splash and spray protection

SEAMS



Stitched Seams — multi-thread overlock stitching at the edges of two pieces of material provides a great balance between seam strength and barrier to particulate contamination



Bound Seams — reinforcing with another piece of fabric that is lock-stitched over the top edge of the base seam provides for additional holdout of particulate and liquid contaminants



Stitched and Taped Seams — a stitched seam that is then taped over and heat-sealed to provide a liquid-tight barrier against heavier liquid splashes

COVERALL STYLES



Zipper Front,
Open Cuffs



Zipper Front,
Elastic Wrist,
Open Ankle



Zipper Front,
Elastic Wrists
& Ankles



Zipper Front, Elastic
Wrists & Ankles,
Hooded



Zipper Front, Elastic
Wrists & Ankles,
Hood, Boots

ACCESSORIES



Lab Coats
and Frocks



Smocks



Aprons



Sleeve Protectors



Bouffant Caps,
Beard Covers
& Hoods



Shoe Covers
& Boot Covers

THE POWER OF REFLEX® COVERALL DESIGN

You want it for comfort, but wear it for protection and productivity

The KleenGuard™ Reflex® formula

Coveralls that don't fit right are a hindrance to safety, performance, productivity and your budget. Wearing a protective garment that is not true to size can actually increase employers' PPE expense.



Look for this symbol to see which products include the Reflex® Design.

Fuller back

12% more chest room

8.5% longer sleeves

More room in seat


No front seams

6% longer body length


Using a KleenGuard™ brand coverall with Reflex® Design has been shown to save manufacturing companies 21% on their coverall PPE spend.



Reflex® Garment versus ANSI sizing comparison



Sizing chart for Reflex® Design garments





KLEENGUARD™

**HAZARDOUS PARTICULATE |
AEROSOLS | LOW HAZARD
LIMITED SPLASH**

PREMIUM ✓✓✓	A30 Coveralls
PLUS ✓✓✓	A20 Coveralls
	A20 Accessories

NON-HAZARDOUS PARTICULATE

ESSENTIAL ✓✓✓	KGA20 Coveralls
	KGA10 Coveralls
	KGA10 Accessories
	A10 Accessories



A30 Hazardous Particulate and Low Hazard Limited Liquid Splash Protection



FEATURES

- Protects from particulate contaminants with proven 99% hold out of particles >5um
- Air permeable SMS fabric provides breathability and comfort
- Uses Kimberly-Clark's exclusive polarizing electret treatment that improves filtration efficiency by 80% or more compared to untreated SMS
- Compliant with NFPA99 for anti-static materials
- Human-centric Reflex® Design incorporates 12% more chest room and 6% longer body length than required ANSI sizing, providing freedom of movement and wearer comfort
- Zipper flap, stitched seams
- Not made with natural rubber latex
- Not made with silicone

TYPICAL USES

- Powder and spray painting
- Pharmaceutical research
- Fine-particle contamination
- Aerospace
- Maintenance/general manufacturing
- Aerosolized spray painting
- Contract cleaning
- Powder and fiber handling
- Remediation work
- Heavy dust environments
- Touch-up paint spraying



Description	Color	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	Case Count
Zipper Front with Elastic Back	○	35738	46002	46003	46004	46005	46006	46007			25 (3XL-6XL = 21)
Zipper Front, Elastic Back, Wrists & Ankles	○	30931	46102	46103	46104	46105	46106	46107	30917	30918	25 (3XL-6XL = 21)
Zipper Front, Elastic Back, Wrists, Ankles & Hood	○	30909	46112	46113	46114	46115	46116	46117	30936	30932	25 (3XL-6XL = 21)
Zipper Front, Elastic Back, Wrists, Ankles, Hood & Boots	○		46122	46123	46124	46125	46126	46127	27238	27239	25 (3XL-4XL = 21)

A30 Accessories

Hood	Code	Size	Case Count
Respirator Cutout	35439	Universal	125 ea

MTD (Made to Order) Codes indicated in **ORANGE**



Recyclable with RightCycle
by Kimberly-Clark Professional®



A20 Hazardous Particulate and Low Hazard Limited Liquid Splash Protection



FEATURES

- Protects from particulate contaminants with proven 99% hold out of particles >5µm
- Air permeable SMS fabric provides breathability and comfort
- Human-centric Reflex® Design incorporates 12% more chest room and 6% longer body length than required ANSI sizing, providing freedom of movement and wearer comfort
- Zipper flap, stitched seams
- Not made with natural rubber latex
- Not made with silicone
- Available in white or denim blue

TYPICAL USES

- Laboratories
- Remediation work
- Heavy dust environments
- Pesticide application
- Powder and fiber handling



**BEST
SELLER**



TAA



	Color	S	M	L	XL	2XL	3XL	4XL	5XL	Case Count
Zipper Front	○	35671	49002	49003	49004	49005	49006	49007	—	24
	●	—	58532	58533	58534	58535	58536	58537	—	3XL+ = 20
Zipper Front, Elastic Back, Wrists & Ankles	○	35810	49102	49103	49104	49105	49106	49107	30920	24
	●	—	58502	58503	58504	58505	58506	58507	23998	3XL+ = 20
Vending	○	—	—	37716	37717	37718	37719	37720	43174	
Zipper Front, Elastic Back, Wrists, Ankles & Hood	○	—	49112	49113	49114	49115	49116	49117	30924	24
	●	—	58512	58513	58514	58515	58516	58517	30953	3XL+ = 20
Vending	○	—	43170	43171	41169	41170	41171	43173	—	
Zipper Front, Elastic Back, Wrists, Ankles, Hood & Boots	○	—	49122	49123	49124	49125	49126	49127	27258	24
	●	—	58522	58523	58524	58525	58526	58527	30910	3XL+ = 20






MTO (Made to Order) Codes indicated in **ORANGE**







Recyclable with RightCycle
by Kimberly-Clark Professional®



A20 Accessories

TAA

Apron		Code	Size	Case Count
	<ul style="list-style-type: none"> Bound neck & ties One size fits all Not made with natural rubber latex White 	36550	28" x 40"	100 (10 packs of 10)
	<ul style="list-style-type: none"> One piece fabric One size fits all Multi-pocket Not made with natural rubber latex Blue 	36260	28" x 40"	100 (10 packs of 10)
Lab Coats		Code	Size	Case Count
	<ul style="list-style-type: none"> Serged seams 	35618	S	30
	<ul style="list-style-type: none"> 4 hook-and-loop closures 	35619	M	30
	<ul style="list-style-type: none"> Elastic wrists 	35620	L	30
	<ul style="list-style-type: none"> Knee length 	35621	XL	30
	<ul style="list-style-type: none"> Not made with natural rubber latex 	35622	2XL	30
	<ul style="list-style-type: none"> White 	35623	3XL	30
		35624	4XL	30
		35625	5XL	30
		37427	6XL	30
	<ul style="list-style-type: none"> Serged seams 	42201	XS	25
	<ul style="list-style-type: none"> 4-snap closure 	30913	S	25
	<ul style="list-style-type: none"> Open wrists 	10019	M	25
	<ul style="list-style-type: none"> Knee length 	10029	L	25
	<ul style="list-style-type: none"> Left chest pocket 	10039	XL	25
	<ul style="list-style-type: none"> Right hip pocket 	40049	2XL	25
	<ul style="list-style-type: none"> Not made with natural rubber latex 	30930	3XL	25
	<ul style="list-style-type: none"> White 	30914	4XL	25
		30915	5XL	25
	<ul style="list-style-type: none"> Serged seams 	30926	S	30
	<ul style="list-style-type: none"> 5-snap closure 	36262	M	30
	<ul style="list-style-type: none"> Elastic wrists 	36263	L	30
	<ul style="list-style-type: none"> Below knee length 	36264	XL	30
	<ul style="list-style-type: none"> Mandarin collar 	36265	2XL	30
	<ul style="list-style-type: none"> Not made with natural rubber latex 	30937	3XL	30
	<ul style="list-style-type: none"> White 	30933	4XL	30
		34815	5XL	30

Hood		Code	Size	Case Count
	<ul style="list-style-type: none"> SMS fabric Serged seams Elastic face seal Not made with natural rubber latex White 	36890	Universal	100 ea
Sleeve Protector		Code	Size	Case Count
	<ul style="list-style-type: none"> SMS fabric Serged seams Elastic top & wrists 21" length ergonomically designed for improved fit Not made with natural rubber latex White 	36870	21"	200 ea
Boot Cover		Code	Size	Case Count
	<ul style="list-style-type: none"> SMS fabric Elastic top 13" height Seamless sole One size fits all Not made with natural rubber latex White 	36880	Universal	300 ea
Shoe Cover		Code	Size	Case Count
	<ul style="list-style-type: none"> SMS Fabric Fully elasticized for formed fit 6.5" height One size fits all Not made with natural rubber latex White 	36885	Universal	300 ea

Cleanroom Packaging (Double-bagged, Not TAA Compliant)

Bouffant Cap		Code	Size	Case Count
	<ul style="list-style-type: none"> Rayon, ideal for cleanroom Not made with natural rubber latex White 	66829	24"	5 bags of 100
Shoe Cover		Code	Size	Case Count
	<ul style="list-style-type: none"> Liquid repellent embossed polyethylene Seamless bottom Fully elasticized NPFA 99 Compliant Antistatic material Not made with natural rubber latex Light blue color 	66857	Universal	50 pr/bag 3 bags/cs






FEATURES

- Lightweight entry-level protection
- Comfortable, multilayer, SMS fabric is breathable and allows moisture to escape
- Coveralls meet ANSI/ISEA 101-1996 sizing
- CE Category I PPE
- Stitched seams
- Not made with natural rubber latex
- Not made with silicone

TYPICAL USES

- Agriculture
- Food processing
- General maintenance
- Laboratories



Description	Color	M	L	XL	2XL	3XL	4XL	Case Count
Zipper Front, Elastic Wrists, Open Ankles	○		68966	68967	68968	68969	68970	50
Zipper Front, Elastic Wrists, Ankles & Hood	○	68971	68972	68973	68974	68975	68976	50
Zipper Front, Elastic Wrists, Ankles, Hood & Boot	○		68977	68978	68979	68980	68981	50



KGA10 Lightweight Non-Hazardous Particulate Protection



FEATURES

- Entry-level dust protection
- Lightweight and highly breathable fabric allows moisture to escape for maximum comfort
- Coveralls meet ANSI/ISEA 101-1996 sizing
- Lab coats available in a choice of two different weights of spunbond
- CE Category I PPE
- Stitched seams
- Not made with natural rubber latex
- Not made with silicone


TYPICAL USES


- Agriculture
- Food processing
- General maintenance
- Laboratories



Description	Color	M	L	XL	2XL	3XL	4XL	Case Count
Zipper Front, Elastic Wrists, Open Ankles	○		67303	67304	67305	67306	67307	50
Zipper Front, Elastic Wrists, Ankles and Hood	○	67308	67309	67310	67311	67312	67313	50

KGA10 Accessories

Lab Coats Standard weight	Code	Size	Case Count
 <ul style="list-style-type: none"> • Standard weight • 4-snap closure • Elastic wrists • No pockets • White 	67319	M	50
	67320	L	50
	67321	XL	50
	67322	2XL	50
	67323	3XL	50




Lab Coats Lightweight	Code	Size	Case Count
 <ul style="list-style-type: none"> • Light weight • 4-snap closure • Elastic wrists • No pockets • White 	67314	M	50
	67315	L	50
	67316	XL	50
	67317	2XL	50
	67318	3XL	50









A10 Accessories (NOTE: KleenGuard™ A10 Accessories are not TAA Compliant)

Bouffant Cap	Code	Size	Case Count
 <ul style="list-style-type: none"> • Spunbond fabric • Not made with natural rubber latex • Double-bagged (36850 and 36860) • White 	36900	M (21")	600 ea/cs Dispenser pack
	36850	M (21")	1000 ea/cs 10 packs/100
	36920	L (24")	450 ea/cs Dispenser pack
	36860	L (24")	1000 ea/cs 10 packs/100
Beard Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> • Lightweight spunbond material • Elasticized ear loops • Not made with natural rubber latex • White 	66815	Universal	1000
	66816	XL	1000
Apron	Code	Size	Case Count
 <ul style="list-style-type: none"> • PE coated spunbond • Serged seams, ties; no pockets • One size fits most • Not made with natural rubber latex 	43744	28" x 36"	100/cs

Sleeve Protector	Code	Size	Case Count
 <ul style="list-style-type: none"> • PE coated spunbond • Elastic top and wrist • One size fits all • Not made with natural rubber latex 	23610	18"	200 ea/cs
Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> • Spunbond fabric • Fully elasticized for formed fit • 6.5" height • Screen printed tread • Light blue • Double-bagged for cleanroom • Not made with natural rubber latex 	36811	Universal	300 ea/cs 2 packs/150 pairs
	27222	XL	300 ea/cs 2 packs/150 pairs



KLEENGUARD™

**HAZARDOUS PARTICULATE |
AEROSOLS | LOW HAZARD
LIGHT SPLASH**

PREMIUM ✓✓✓	A40 Coveralls
	A40 Accessories
PLUS ✓✓✓	A45 Coveralls

**NON-HAZARDOUS
PARTICULATE AND LIGHT SPLASH**

ESSENTIAL ✓✓✓	A35 Coveralls
----------------------	---------------



A40 Hazardous Particulate and Low Hazard Light Liquid Splash Protection




FEATURES

- Helps protect against hazardous particulates and light splashes and sprays of low hazard liquids
- Microporous film laminate fabric construction
- Passes both ASTM F1670 for blood penetration **and** ASTM F1671 for blood borne pathogens⁴
- ASTM F903 Penetration Testing provides passing results for isocyanate paint (40%) and Potassium Chromate (20%)
- Anti-stat according to NFPA 99
- A40 beats the leading competitor with:
 - Up to 2X better liquid barrier
 - 37% stronger fabric
 - 2.5X more tear-resistant
 - Up to 90% less lint
- Human-centric Reflex® Design incorporates 12% more chest room and 6% longer body length than required ANSI sizing, providing freedom of movement and wearer comfort
- Zipper flap, stitched seams
- Not made with natural rubber latex
- Not made with silicone

TYPICAL USES

- Maintenance and general manufacturing
- Abatement and remediation
- Utilities
- Pharmaceuticals
- Food processing
- Paint spraying/application
- Fiberglass product manufacturing
- Automotive refinishing



	Color	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	Case Count
Zipper Front	○	27151	44302	44303	44304	44305	44306	44307	30922	30927	25
Vending	○	42568	42569	37685	37686	37687	37692	37694	42570	42571	
Zipper Front, Elastic Wrists & Ankles	○	30905	44312	44313	44314	44315	44316	44317	30904	27189	25
Zipper Front, Elastic Wrists, Ankles & Hood	○	30939	44322	44323	44324	44325	44326	44327	27158	30921	25
Zipper Front, Elastic Wrists, Ankles, Hood & Boots	○	30940	44332	44333	44334	44335	44336	44337	30907	30934	25

MTO (Made to Order) Codes indicated in **ORANGE**

⁴ AQL 6.5, passes 74/85 samples



Recyclable with RightCycle by Kimberly-Clark Professional®




A40 COVERALLS with Breathable Back⁵

FEATURES


- A40 fabric on the front and hood with A20 SMS fabric on the back
- Provides a balance of protection and high breathability to keep workers protected and more comfortable



TAA



	Color	S	M	L	XL	2XL	3XL	4XL	5XL	5XL/6XL	Case Count
Zipper Front, Elastic Wrists, Ankles & Hood		—	42119	37591	37163	37164	37165	38508	—	37584	25


⁵ Chemical Resistance Test does not apply to A40 Breathable Back. Reference the Technical Data Guide for current liquid chemical resistance information at www.KCProfessional.com


 Recyclable with RightCycle by Kimberly-Clark Professional®







A40 Accessories

TAA²

Lab Coat		Code	Size	Case Count
	• Serged seams	—	XS	30
	• 4-snap closure	27201	S	30
	• Open wrists	44452	M	30
	• Knee length	44453	L	30
	• Left chest pocket	44454	XL	30
	• Right hip pocket	44455	2XL	30
	• Not made with natural rubber latex	44456	3XL	30
	• White	27207	4XL	30
		30935	5XL	30
	• Serged seams	30938	S	30
	• 5-snap closure	44442	M	30
	• Elastic wrists	44443	L	30
	• Knee length	44444	XL	30
	• No pocket	44445	2XL	30
	• Not made with natural rubber latex	44446	3XL	30
	• White	30923	4XL	30
		30941	5XL	30

Apron		Code	Size	Case Count
	• Microporous laminate	44481	28" x 40"	100
	• Bound neck & ties			
	• Not made with natural rubber latex			
	• One size fits all			
	• White			

Sleeve Protector		Code	Size	Case Count
	• Microporous laminate	44480	18"	200
	• Serged seams			
	• Elastic top & wrists			
	• 18" length			
	• Not made with natural rubber latex			
	• White			

Boot Covers		Code	Size	Case Count
	• Microporous laminate	44491	Universal	400
	• Elastic top			
	• 17" height			
	• Seamless sole			
	• One size fits all			
	• Not made with natural rubber latex			
	• White			
	• Microporous laminate	36779	M/L	400
	• Elastic top			
	• Elastic at ankle	44495	XL/2XL	400
	• 18" height			
	• Highly durable, traction sole			
	• Not made with natural rubber latex			
	• White			
Shoe Covers		Code	Size	Case Count
	• Microporous laminate	27000	Universal	300
	• Elastic top			
	• 7" height			
	• Seamless bottom			
	• Not made with natural rubber latex			
	• One size fits all			
	• White			
	• Microporous laminate	44490	Universal	400
	• Fully elasticized for formed fit			
	• 7" height			
	• Not made with natural rubber latex			
	• One size fits all			
	• White			
	• Microporous laminate	44492	M/L	400
	• Elastic top			
	• 5.25" height	44494	XL/2XL	400
	• Highly durable, traction sole			
	• Not made with natural rubber latex			
	• White			
	• Tough, low skid PE coated spunbond	51136	S	300
	• Fluid resistant seamless bottom	51137	M/L	300
	• Elastic top			
	• 6.5" to 7" height	51138	XL/2XL	300
	• Not made with natural rubber latex			
	• Grey			

* Excludes 51136, 51137 and 51138

MTO (Made to Order) Codes indicated in **ORANGE**



A45 Hazardous Particulate and Low Hazard Light Liquid Splash Protection



FEATURES

- Helps protect against hazardous particulates and certain light liquid splashes
- Lightweight microporous film laminate
- Anti-stat according to NFPA 99
- Respirator-fit hood
- Water-resistant zipper
- ASTM F903 Penetration Testing provides passing results for isocyanate paint (40%) and chromated epoxy corrosion primer (10%)
- Human-centric Reflex® Design incorporates 12% more chest room and 6% longer body length than required ANSI sizing, providing freedom of movement and wearer comfort
- Zipper flap, stitched seams
- Not made with natural rubber latex
- Not made with silicone

TYPICAL USES

- Surface prep
- Paint prep/paint spraying and application
- Composite manufacturing
- Utilities
- General manufacturing



Up to 68% improvement in traction on wet and dry surfaces — helps users reduce the risk of slips, trips and falls*



TAA



	Color	S	M	L	XL	2XL	3XL	4XL	5XL/6XL	Case Count
Zipper Front, Elastic Wrists & Ankles	○	41491	41492	41493	41494	41495	41496	41497	41498	25
Zipper Front, Elastic Wrists, Ankles & Hood	○	41503	41504	41505	41506	41507	41508	41509	41510	25
Zipper Front, Elastic Wrists, Ankles, Hood & Skid-resistant Boots	○ Grey Boot	48971	48972	48973	48974	48975	48976	48977	48978	25

* Compared to the original boot material on the A30 and A45 coveralls.



Recyclable with RightCycle
by Kimberly-Clark Professional®



A35 Non-Hazardous Particulate and Light Liquid Splash Protection



FEATURES

- Entry-level non-hazardous particulate and limited splash protection
- Microporous film laminate
- Coveralls meet ANSI/ISEA 101-1996 sizing
- Stitched seams
- Not made with natural rubber latex
- Not made with silicone

TYPICAL USES

- Liquid handling
- Maintenance and janitorial
- General manufacturing
- Laboratories



Description	Color	S	M	L	XL	2XL	3XL	4XL	5XL	Case Count
Zipper Front	○	38916	38917	38918	38919	38920	38921	38922	38923	25
Zipper Front, Elastic Wrists & Ankles	○	38925	38926	38927	38929	38930	38932	38934	38935	25
Zipper Front, Elastic Wrists, Ankles & Hood	○	38936	38937	38938	38939	38941	38942	38943	38944	25
Zipper Front, Elastic Wrists, Ankles, Hood & Boots	○	38947	38948	38949	38951	38950	38952	38953	38954	25



Recyclable with RightCycle
by Kimberly-Clark Professional®



KLEENGUARD™

CHEMICAL	
PREMIUM ✓✓✓	A80 Coveralls
	A71 Coveralls
	A70 Coveralls
	A70 Accessories

A70 Chemical and Liquid Splash and Spray Protection



FEATURES

- Polyethylene film laminated to spunbond substrate
- Respirator-fit hood and taped storm flap
- Passes both ASTM F1670 and ASTM F1671 for blood penetration and blood borne pathogens
- Anti-static according to NFPA 99
- Human-centric Reflex® Design incorporates 12% more chest room and 6% longer body length than required ANSI sizing, providing freedom of movement and wearer comfort
- Storm flap, bound seams
- Not made with natural rubber latex
- Not made with silicone

TYPICAL USES

- Maintenance and general manufacturing
- Abatement and remediation
- Composite manufacturing
- Environmental cleanup
- Pulp and paper manufacturing
- Chemical handling



**PLEASE
SEE**
Technical data
sheet for Chemical
Performance Data



	Color	M	L	XL	2XL	3XL	4XL	5XL	Case Count
Zipper Front, Storm Flap, Elastic Wrists, Ankles & Hood		09812	09813	09814	09815	09816	09817	09818	12
Zipper Front, Storm Flap, Elastic Wrists, Ankles, Hood & Boots		00682	00683	00684	00685	00686	00687	00688	12

A70 Accessories

Smock	Code	Size	Case Count
<ul style="list-style-type: none"> • Bound seams • Tie closure • Elastic wrists • Bound neck • Back neck snaps • Elastic shoulder for proper fit • Yellow 	09829	44" Length	25
	09830	52" Length	25
Apron	Code	Size	Case Count
<ul style="list-style-type: none"> • Bound seams • Bound neck and ties • One size fits all • Yellow 	97790	29" x 44"	100

Sleeve Protector	Code	Size	Case Count
<ul style="list-style-type: none"> • Bound seams • Elastic top & wrist • 21" length • Ergonomically designed to fit to arm • Yellow 	97780	21" Length	200 ea

A71 Chemical and Liquid Splash and Spray Protection



FEATURES

- Polyethylene film laminated to spunbond substrate
- Passes both ASTM F1670 and ASTM F1671 for blood penetration and blood borne pathogens
- Stitched and taped seams
- Respirator-fit hood
- Velcro storm flap
- Anti-stat according to NFPA 99
- Human-centric Reflex® Design incorporates 12% more chest room and 6% longer body length than required ANSI sizing, providing freedom of movement and wearer comfort
- Not made with natural rubber latex
- Not made with silicone

TYPICAL USES

- Maintenance and general manufacturing
- Abatement and remediation
- Composite manufacturing
- Environmental cleanup
- Sewage treatment
- Food industry clean downs
- Pulp and paper manufacturing



PLEASE
SEE
Technical data
sheet for Chemical
Performance Data



	Color	M	L	XL	2XL	3XL	Case Count
Zipper Front, Storm Flap, Elastic Wrists, Waist & Hood		46770	46771	46772	46773	46774	10

A80 Chemical and Liquid Splash and Spray Protection



FEATURES

- Industry-leading Saranex® 23-P film provides trusted chemical splash protection in a variety of environments
- Passes both ASTM F1670 and ASTM F1671 for blood penetration and blood borne pathogens
- Anti-stat according to NFPA 99
- Respirator-fit hood
- Storm flap
- Stitched and taped seams
- Human-centric Reflex® Design incorporates 12% more chest room and 6% longer body length than required ANSI sizing, providing freedom of movement and wearer comfort
- Not made with natural rubber latex
- Not made with silicone

TYPICAL USES

- Chemical handling/ transportation
- Hazardous waste/environmental remediation
- Sewage purification installations



PLEASE
SEE
Technical data
sheet for Chemical
Performance Data



	Color	L	XL	2XL	3XL	4XL	5XL	6XL	Case Count
Zipper Front, Storm Flap, Elastic Wrists, Ankles & Respirator-Fit Hood	○	45643	45644	45645	45646	45647	30946	30947	12 (3XL+ = 10)
Zipper Front, Storm Flap, Elastic Wrists, Ankles, Respirator-Fit Hood & Boots	○	45663	45664	45665	45666	45667	30948	30949	12 (3XL+ = 10)

MTO (Made to Order) Codes indicated in ORANGE



KIMTECH™

NON-STERILE APPAREL

Kimtech™ apparel provides seamless protection when and where it matters most — closing the gaps in your protection. As a global leader in lab PPE, Kimberly-Clark Professional products work together to enhance comfort, compliance and productivity.

FIND YOUR FIT

What type of apparel best fits your unique needs? These easy-to-use selection charts will help you choose the right products for your workers and your environment.

Category		ISO ^{††}	Ideal for	Suggested use	Performance		
					Best	Better	Good
A6	Non-Sterile	ISO 6,7,8	Cleanroom environments ISO Class 6, 7, 8 Bioburden control areas GRADE B/C/D (Former FED-STD-209E; Class 1,000, 10,000, 100,000)	Non-Sterile Pharmaceutical Manufacturing, Bio-Medical Research, Pharmaceutical Compounding, Biotechnology		●	
A7	Non-Sterile	ISO 7,8	Cleanroom environments ISO Class 7, 8 Bioburden control areas GRADE B/C/D (Former FED-STD-209E; Class 1,000, 10,000, 100,000)	Non-Sterile Laboratory, Testing, Compounding Preparation Areas		●	
A8	Non-Sterile	ISO 8	Cleanroom environments ISO Class 8 Bioburden control areas GRADE B/C/D (Former FED-STD-209E; Class 1,000, 10,000, 100,000)	Packaging and Distribution Areas, Non-Sterile Production			●

Minimal gowning requirements

	Bouffant Cap	Hood	Beard Cover	Face Mask	Lab Coat/Gown	Coverall	Shoe Cover	Boots	Gloves	Safety Glasses	Goggles
ISO Class 6 (Class 1,000)	●	●	●	●		●	●	●	●		●
ISO Class 7 (Class 10,000)	●		●	●	●	●	●		●	●	
ISO Class 8 (Class 100,000)	●		●		●	●	●		●	●	

Cleanroom classifications

ISO Class	ISO Class limits ⁶	FS209 Class limits ⁷
ISO 6	35,200	1,000
ISO 7	352,000	10,000
ISO 8	3,520,000	100,000

^{††} ISO compatibility is dependent on the equipment capabilities within your cleanroom.⁶ (particles / m³ of air) for particles equal to and larger than 0.5 microns⁷ (particles / ft³ of air) for particles equal to and larger than 0.5 microns

Symbols Key

Recommended for
ISO Class 6, 7, 8 or
higher cleanroomRecommended for
ISO Class 7, 8 or
higher cleanroomRecommended for
ISO Class 8 or
higher cleanroomDouble Bagged for
clean environmentsRecyclable with RightCycle
by Kimberly-Clark Professional®



A6 Kimtech™ Liquid Splash Protection Coverall with Hood

FEATURES

- High-performance laminated film for the front panel, hood, arms and legs
- Lightweight, breathable material for the back panel to keep workers safe and cool
- Suitable for ISO 6, 7 and 8/Grade C & D cleanrooms
- Built-in thumb loops and elastic cuffs
- Innovative origami-inspired fold design to reduce gowning time
- Low lint, Category II, Helmke Drum Test



ISO
6,7,8

Description	Color	S	M	L	XL	2XL	3XL	4XL	5XL	Case Count
Individually Packed	○	47681	47682	47683	47684	47685	47686	47687	—	25



A7 Kimtech™ Cleanroom Lab Coat

FEATURES

- Advanced Barrier Fabric for better liquid and dry particle protection
- Thumb loops to maintain glove and garment interface
- Low lint to reduce contamination risk
- High mandarin collar to reduce the risk of contamination
- Front snaps for a secure closure
- Elastic wrist and thumb loops for full wrist coverage



DB ISO
7,8

Description	Color	S	M	L	XL	2XL	3XL	4XL	6XL	Case Count
Lab Coat with Thumb Loops	○	47651	47652	47653	47654	47655	—	47656	47657	30



Recyclable with RightCycle
by Kimberly-Clark Professional®




A7 Kimtech™ Liquid Barrier Gown

FEATURES

- Seamless front and closed back
- Enhanced liquid barrier protection — fabric tested per ASTM F1670, F1671 and F739-12 for permeation of chemotherapy drugs and hormones
- Easy don-and-doff design to reduce contamination risk and prevent chemicals from getting on clothing or skin
- Thumb loops to maintain glove and garment interface
- Low lint to minimize contamination
- Meets USP <800> guidelines by providing seamless protection against hazardous drugs

ISO
7.8

Description	Color	S/M	L/XL	2XL	Gowns/Bag	Bags/Case
Seamless Front, Closed Back		47992	47993	47994	10	10




A8 Kimtech™ Cleanroom Apparel

FEATURES

- A comfortable, lightweight innovative fabric that moves with the worker
- Built-in thumb loops to protect people and processes
- High neck collar to control contamination risk
- Double bagged, packed for cleanroom

ISO
8

Description	Color	S	M	L	XL	2XL	3XL	4XL	6XL	Case Count
Bulk Packed Code		47951	47952	47953	47954	47955	47956	47957		25



Recyclable with RightCycle
by Kimberly-Clark Professional®





A8 Kimtech™ Lab Coats & Jackets

 ISO
6,7,8

FEATURES

- Light fluid protection
- Protective 3-layer SMS fabric
- All coats and jackets feature soft knitted cuffs
- Available with extra protection fabric with blood strikethrough resistance

LAB COAT SELECTION

Select based on collar and style preference. All are for light fluid protection. For heavier fluid protection, select A7 lab coats.



A8 Zippered Lab Coat — mid-calf length

	Color	Collar Type	S	M	L	XL	2XL	3XL/4XL	5XL/6XL	Total/Case
Bulk Packed Code	White	Mandarin	51931	51932	51933	51934	51935	51936	51937	25 (3XL+ = 20)



A8 Lab Coat — mid-calf length

	Color	Collar Type	Reinforced Pockets/Snaps	S	M	L	XL	2XL	3XL/4XL	Total/Case
Bulk Packed Code	White	Traditional	2/4	10120	10121	10122	10123	10124	—	25



A8 Lab Coat — mid-calf length

Bulk Packed Code	Blue	Knit	3/5	10030	10031	10032	10033	10034	51905	25 (3XL+ = 20)
Bulk Packed Code	White	Knit	3/5	10020	10021	10022	10023	10024	—	25



A8 Lab Coat + Extra Protection — mid-calf length

Bulk Packed Code	Blue	Traditional	3/6	10045	10046	10047	10048	10049	—	25 (2XL = 10)
Bulk Packed Code	White	Traditional	3/6	10040	10041	10042	10043	10044	—	25 (2XL = 10)



A8 Lab Jacket + Extra Protection — hip length

Bulk Packed Code	White	Knit	3/5	10069	10071	10072	10073	—	—	25
------------------	-------	------	-----	-------	-------	-------	-------	---	---	----



Recyclable with RightCycle
by Kimberly-Clark Professional®



A7 Kimtech™ Ankle-High Shoe Covers

FEATURES

- Protects the shoelace and ankle areas not addressed by traditional shoe covers
- Delivers a higher barrier of liquid protection⁸ and superior grip
- Thread color helps to identify the size (Universal & L/XL)
- 30% more material added to cover the ankle vs. a standard shoe cover
- Vinyl anti-skid soles for better grip



Two elastic bands above and below the ankle for enhanced fit and coverage

Key features have been highlighted for illustration purposes only.



Description	Thread Color	L/XL	Universal	Total/Case
Ankle-High Shoe Cover with durable sole	○	—	47972	300
Ankle-High Shoe Cover with durable sole	●	47973		300



A8 Kimtech™ Shoe Covers with Unitrax

FEATURES

- Dry particle and fluid protection
- Extra grip
- Low linting
- Packed for cleanroom



Description	Color	S/M	L/XL	Universal	Eaches/Bags	Total/Case
Shoe Cover w/seamless bottom	○	39370	39372	39371	100/3	300

⁸ As compared to SMS fabric



A8

Kimtech™ Shoe Covers with Traction Strips

FEATURES

- Light splash protection
- Interior has cloth-like feel against the skin



Description	Color	XL	Universal	Eaches/Carton	Total/Case
Shoe Cover, Ankle Height	Blue	—	69252	100/3	300
Shoe Cover, Ankle Height	Blue	69254	—	80/3	240
Ankle-High Shoe Cover, Mid-Calf	Blue	69353	69253	100/3	300



Recyclable with RightCycle
by Kimberly-Clark Professional®



HAND
PROTECTION



HAND PROTECTION

Get a grip on safety and enhance productivity with KleenGuard™ Brand Gloves. Whether you need thin mil, chemical resistance, general purpose or cut resistance, our hand protection offerings do more than keep you safe — they enable you to do your best work while delivering comfort, dexterity and quality.

More than 1 million workers sustain hand injuries each year:⁹

The injuries result in 9 lost work days for each recordable incident¹⁰ and cost employers over \$800 million annually.¹¹

⁹ "Drive home the value of gloves: Hand injuries send a million workers to ERs each year," Donald F. Groce, ISHN, 2012

¹⁰ Bureau of Labor Statistics, 2017

¹¹ Bureau of Labor Statistics, 2016



HAND PROTECTION

Introducing the updated KleenGuard™ Gloves Portfolio, now available in three tiers to make it easier than ever to select the glove that's right for the task. Defined tiers allow the wearer to select the best glove by application, and provide the outstanding quality of the KleenGuard™ Brand.

KleenGuard™ Hand Protection is designed with human-centric engineering that enables rather than inhibits — allowing for maximum productivity and safety.

GLOVES BY TYPE

	THIN MIL GLOVES	GENERAL PURPOSE GLOVES	CUT RESISTANT GLOVES & SLEEVES	CHEMICAL RESISTANT GLOVES
PREMIUM 	<ul style="list-style-type: none"> G10 Kraken Grip™ G10 2Pro™ Blue Nitrile 			
PLUS 	<ul style="list-style-type: none"> G10 Comfort Plus™ Blue Nitrile 	<ul style="list-style-type: none"> G40 Polyurethane Coated G40 Foam Nitrile Coated G40 Latex Coated G35 Inspection 	<ul style="list-style-type: none"> G60 Endurapro™ Dual Grip G60 Endurapro™ Knuckle Coated G60 Endurapro™ Nitrile Coated G60 Endurapro™ Heavy-Duty Polyurethane Coated G60 Endurapro™ Medium-Duty Polyurethane Coated G60 Endurapro™ Heavy-Duty Sleeve 	<ul style="list-style-type: none"> G80 Nitrile Chemical G80 Neoprene/Latex Chemical
ESSENTIAL 	<ul style="list-style-type: none"> G10 Flex™ Blue Nitrile 		<ul style="list-style-type: none"> G60 Endurapro™ Light-Duty Polyurethane Coated G60 Endurapro™ Light-Duty Sleeve 	

Symbols Key



Meets Canadian requirements and U.S. FDA regulations for food-handling applications



Touchscreen compatible



Acceptable Quality Level











Recyclable with RightCycle by Kimberly-Clark Professional®

SELECTING THE RIGHT GLOVES

We make safety decisions easy with a less-complicated product line focused on effective protection and productivity.

	HAZARDS	TASKS	 Metal & Heavy Equipment	 Transportation	 Oil & Gas	 Food	 Mining	 Agriculture	 Manufacturing	 Construction
G60	Non-hazardous dust, particulates, sanding debris	Sanding/grinding surfaces	✓	✓	✓				✓	✓
G60	Non-hazardous particulates, e.g., sawdust, MDF, drywall, dusts	Cutting, milling, sanding, sweeping		✓					✓	✓
G10 Kraken Grip™	Dirt/grime, grease, cleaning products	Machine/vehicle maintenance, light janitorial	✓	✓	✓	✓	✓	✓	✓	
G60 (cut), G10 (staining /painting)	Woodworking, masonry, brick, mortar/concrete dusts and debris	Sanding, cutting, drilling, turning, staining/painting							✓	✓
G40	Fiberglass, cellulose particles	Insulation installation/removal		✓					✓	✓
G10 G80 (chemical)	Hazardous particulates, e.g., asbestos, lead, mold, radioactive particulates	Demolition, remediation, abatement, site inspection or preparation	✓	✓			✓			✓
G60 (cut), G40 (general)	Coal dust, silica	Ore extraction, site cleanup, transportation, mechanical handling			✓		✓			✓
G10	Powders, dry pharmaceuticals	Powder handling, milling, pharma				✓		✓	✓	
G60 (cut)	Sparks, cuts, abrasion, small flying debris, metalworking	Welding, metal grinding, polishing, surface prep/finishing, assembly	✓	✓	✓		✓		✓	✓
G80	Dilute, non- or low-hazard liquid chemical splash	Low-pressure industrial cleaning, tank cleaning, parts cleaning	✓	✓	✓	✓	✓	✓	✓	✓
G80	Dilute acids	Brick cleaning, surface prep/cleaning	✓	✓					✓	✓
G10 2PRO™, G10 Comfort Plus™	Wet, slippery floors	Food processing wash down	✓	✓	✓	✓			✓	✓
G10 2PRO™	Disinfectant, detergent, soap, surfactant	Equipment sanitation and disinfection		✓		✓		✓	✓	
G80	Lime/caustic handling (dry bricks, powders or liquid solutions)	Concrete and mortar mixing, pouring and finishing							✓	

	HAZARDS	TASKS	 Metal & Heavy Equipment	 Transportation	 Oil & Gas	 Food	 Mining	 Agriculture	 Manufacturing	 Construction
G10	Paint overspray/dry particulates	Spray painting, powder coating	✓	✓					✓	
G10	Paint overspray, non-hazardous aerosol, mist/light liquid contact	Spray painting	✓	✓					✓	✓
G10	Paint overspray, heavy liquid contact	Spray painting	✓	✓					✓	✓
G10	Heavy liquid paint splashes	Mixing, clean up	✓	✓					✓	
G10	Spray foam	Insulation installation							✓	✓
G60	Drilling muds	Oil drilling, fracking			✓					
G10 2PRO™, G10 Comfort Plus™	Resins	Composites/fiberglass layup		✓						
G80	Sewage, animal waste, blood borne pathogens ¹ —light exposure	Livestock handling/processing, sewage purification, waste management, crime scene investigation/cleanup, plowing				✓		✓		
G80	Sewage, animal waste, blood borne pathogens ¹ —heavy exposure	Livestock handling/slaughter/processing, sewage purification, waste management, crime scene cleanup				✓		✓		
G10	Solid/granular fertilizers, grain dust/animal feed	Crop treatment, grain handling				✓		✓		
G10	Dilute sprayed pesticides – low/moderate splash (low vapor)	Crop spraying/facilities maintenance						✓		
G80	Chemical splash	Chemical transportation, handling, tank/equipment cleaning, site remediation, chip etching	✓	✓	✓	✓			✓	✓
G10	Textiles and paper processing	Paper processing, textile manufacturing							✓	
G60	Cotton, textile dust and fiber exposure	Production of new fiber, cutting operations						✓	✓	
G10	Adhesives	Bonding, gluing, sealing	✓	✓					✓	✓

¹ Not for medical use



KLEENGUARD™

THIN MIL GLOVES

PREMIUM	✓✓✓	G10 Kraken Grip™ Gloves	6 mil
		G10 2Pro™ Blue Nitrile Gloves	6 mil
PLUS	✓✓✓	G10 Comfort Plus™ Blue Nitrile Gloves	4 mil
ESSENTIAL	✓✓✓	G10 Flex™ Blue Nitrile Gloves	3 mil

THIN MIL GLOVES

KleenGuard™ and Kimtech™ Thin Mil Gloves provide the strength and durability your special applications demand. They exceed industry standards and work hand-in-hand with other head-to-toe personal protection solutions from Kimberly-Clark Professional.

WHICH GLOVE IS RIGHT FOR YOU?

Choose from a wide range of offerings including a true original: our Kimtech™ Purple Nitrile™ Gloves, the most recognizable gloves on the market, and our innovative KleenGuard™ Kraken Grip™ Fully Textured Black Nitrile Gloves.

After use, give your gloves new life through RightCycle by Kimberly-Clark Professional®, the first large-scale recycling program for non-hazardous glove waste.



G10 Kraken Grip™ Fully Textured Black Nitrile Gloves



FEATURES

- Fully textured palm and fingertips for grip when working with grease and slippery liquids
- Reliable wet or dry grip
- 6 mil strength and durability
- Ambidextrous for time and cost savings
- Grip on the outside, powder-free moisture control on the inside
- California Prop 65 Compliant (MBT and ZMBT free)
- Silicone-free, per AMS 3819C

TYPICAL USES

- Fabrication/machining
- Part handling
- Assembly
- Indoor/outdoor maintenance
- Cleaning
- Chemical splash
- Food handling

Raised textured pattern on fingers and palms channels away oil, grease and solvents

6 mil thickness in fingers for strength and durability

6 mil thickness in palms for abrasion resistance

Beaded cuff to make donning easier and prevent roll-down



Description	Color	S	M	L	XL	2XL	3XL	Gloves/Box	Boxes/Case
KleenGuard™ G10 Kraken Grip™ Fully Textured Black Nitrile Gloves	Black	49275	49276	49277	49278	49279	49280	100 XL-3XL = 90	10



Recyclable with RightCycle by Kimberly-Clark Professional®



G10

 2Pro™ Blue Nitrile Gloves




FEATURES

- 6-mil finger thickness
- Powder-free and ambidextrous
- Not made with natural rubber latex
- Meets U.S. FDA regulations for materials used in food contact applications
- Recyclable via The RightCycle™ Program

TYPICAL USES

- General maintenance
- Aerospace manufacturing
- General manufacturing
- Electronic assembly
- Food processing
- Painting
- Transportation and distribution



Description	Color	XS	S	M	L	XL	2XL	3XL	Gloves/Box	Boxes/Case
KleenGuard™ G10 2Pro™ Nitrile Gloves		54420	54421	54422	54423	54424	—	—	100 XL = 90	10





G10 Comfort Plus™ Blue Nitrile Gloves



FEATURES

- 4-mil finger thickness
- Powder-free and ambidextrous
- Meets U.S. FDA regulations for materials used in food contact applications
- Recyclable via The RightCycle™ Program
- Not made with rubber latex

TYPICAL USES

- Light-duty manufacturing
- Transportation and distribution
- General maintenance
- Electrical assembly
- Painting
- Food processing
- Foodservice



4 mil thickness
for excellent tactile
sensitivity

Textured fingertips
for better grip and
control

AQL 2.5 (Acceptable
Quality Limit levels
defined according
to ISO 2859-1)

Beaded cuff to make
donning easier and
prevent roll-down



Description	Color	XS	S	M	L	XL	2XL	3XL	Gloves/Box	Boxes/Case
KleenGuard™ G10 Comfort Plus™ Gloves		54185	54186	54187	54188	54189	—	—	100	10



G10 Flex™ Blue Nitrile Gloves



FEATURES

- 3-mil finger thickness
- High disposability for light-duty tasks with short durations
- Powder-free and ambidextrous
- Meets U.S. FDA regulations for materials used in food contact applications
- Not made with natural rubber latex
- Recyclable via The RightCycle™ Program

TYPICAL USES

- General maintenance
- Light-duty manufacturing
- Small parts handling
- Precision electronic assembly
- Painting
- Foodservice



3 mil thickness
for excellent tactile
sensitivity

Textured fingertips
for better grip and
control

AQL 1.5 (Acceptable
Quality Limit levels
defined according
to ISO 2859-1)

Beaded cuff to make
donning easier and
prevent roll-down



Description	Color	XS	S	M	L	XL	2XL	3XL	Gloves/Box	Boxes/Case
KleenGuard™ G10 Flex™ Blue Nitrile Gloves		54331	54332	54333	54334	54335	—	—	100 XL = 90	10



Recyclable with RightCycle
by Kimberly-Clark Professional®

**KIMTECH™**

KIMTECH™ HAND PROTECTION

Kimtech™ Brand Gloves protect your process and your employees from known and unknown risks while delivering comfort, dexterity, quality and the assurance to do your best work. They work hand-in-hand with other head-to-toe solutions from Kimberly-Clark Professional — the global leader in lab and cleanroom PPE and wiping products.

Symbols Key



Acceptable
Quality Level



Recyclable with RightCycle
by Kimberly-Clark Professional®



Kimtech™ Purple Nitrile™ Exam Gloves

FEATURES



- Ambidextrous with textured fingertips
- Beaded cuff for easy donning
- Powder-free
- FDA cleared for use with chemotherapy drugs (non-sterile only)
- Tested for use with chemotherapy drugs, per ASTM D6978-05
- Meets USP <800> guidelines
- Purple Nitrile-Xtra™ 12" Gloves meet NFPA standard 1999:2013 for protecting EMS workers against liquid-borne pathogens
- Not made with natural rubber latex
- Static dissipative in use

TYPICAL USES

- Laboratory



AQL
1.0

Description	Color	XS	S	M	L	XL	2XL	Gloves/Box	Total/Case
Purple Nitrile-Xtra™ Exam Gloves, 12" Ambi		55090	50601	50602	50603	50604	—	50/10	500
Purple Nitrile™ Exam Gloves, 9.5" Ambi		55080	55081	55082	55083	55084	—	100/10 XL = 90/10	1,000 XL = 900



Recyclable with RightCycle
by Kimberly-Clark Professional®



Kimtech™ Sterling™ Nitrile Exam Gloves

FEATURES

- Ambidextrous with textured fingertips
- Beaded cuff for easy donning
- Powder-free
- FDA cleared for use with chemotherapy drugs (non-sterile only)
- Tested for use with chemotherapy drugs, per ASTM D6978-05
- Meets USP <800> guidelines
- Meets FDA food contact requirements set forth in 21 CFR 177.2600 and Canada food handling requirement, as per the Canada Food and Drugs Act and Regulations
- Sterling Nitrile-Xtra™ 12" Gloves meet NFPA standard 1999:2013 for protecting EMS workers against liquid-borne pathogens
- Not made with natural rubber latex
- Static dissipative in use

TYPICAL USES



- Laboratory
- Cleaning & maintenance
- Electronic assembly
- Inspection

3.5 mil thickness

Available in
12" & 9.5" length



AQL
1.5

Description	Color	XS	S	M	L	XL	2XL	Gloves/Box	Total/Case
Sterling Nitrile-Xtra™ Exam Gloves, 12" Ambi		53137	53138	53139	53140	53141	—	100/10	1,000
Sterling™ Nitrile Exam Gloves, 9.5" Ambi		50705	50706	50707	50708	50709	—	200/10 XL = 170/10	2,000 XL = 1,700



Recyclable with RightCycle
by Kimberly-Clark Professional®




Kimtech™ Vista™ Nitrile Exam Gloves

FEATURES

- Ambidextrous with textured fingertips
- Beaded cuff for easy donning
- Powder-free
- Tested for use with chemotherapy drugs, per ASTM D6978-05
- Meets USP <800> guidelines
- Meets FDA food contact requirements set forth in 21 CFR 177.2600 and Canada food handling requirements, as per the Canada Food and Drugs Act and Regulations
- Not made with natural rubber latex
- Static dissipative in use



Description	Color	XS	S	M	L	XL	2XL	Gloves/Box	Total/Case
Vista™ Nitrile Exam Gloves, 9.5" Ambi		62825	62826	62827	62828	62829	—	200/10 XL = 180/10	2,000 1,800




Kimtech™ Element™ Nitrile Exam Gloves

FEATURES

- Ambidextrous with textured fingertips
- Beaded cuff for easy donning
- Powder-free
- Meets FDA food contact requirements set forth in 21 CFR 177.2600 and Canada food handling requirements, as per the Canada Food and Drugs Act and Regulations
- Not made with natural rubber latex
- Static dissipative in use



Description	Color	XS	S	M	L	XL	2XL	Gloves/Box	Total/Case
Element™ Nitrile Exam Gloves, 9.3" Ambi		62870	62871	62872	62873	62874	—	250/10 XL = 230/10	2,500 2,300



Recyclable with RightCycle
by Kimberly-Clark Professional®



KLEENGUARD™

GENERAL PURPOSE GLOVES

PLUS		G40 Polyurethane Coated	15 Gauge
		G40 Foam Nitrile Coated	15 Gauge
		G40 Latex Coated	10 Gauge
		G35 Inspection	15 Gauge

GENERAL PURPOSE GLOVES

KleenGuard™ General Purpose Gloves provide protection when working with rough or abrading objects. They each provide a strong, nimble, safer grip without hindering the productivity of workers.

WHICH GLOVE IS RIGHT FOR YOU?

Choose from a less-complicated, universal product line, including our most popular multi-purpose gloves, KleenGuard™ G40 Black Polyurethane Coated Gloves.



G40 Polyurethane Coated Gloves



FEATURES

- Thin mil feel for tactile sensitivity
- Excellent grip and dexterity
- Tear-resistant
- Abrasion-resistant
- Seamless knit construction for comfort

TYPICAL USES

- Precision and electronics assembly
- Small parts handling
- Control handling
- Packaging and inspecting
- Warehousing/shipping/receiving
- General maintenance

PROTECTION



Excellent grip and dexterity

Thin mil feel for tactile sensitivity

15 Gauge

Seamless knit construction for breathability and comfort



Description	Color	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G40 Polyurethane Coated Gloves		47102	13837	13838	13839	13840	13841	12 pairs/bag • 5 bags/case
G40 Polyurethane Coated Gloves		47097	38726	38727	38728	38729	38730	12 pairs/bag • 5 bags/case



Recyclable with RightCycle
by Kimberly-Clark Professional®

G40 Foam Nitrile Coated Gloves†



FEATURES

- 25% better productivity than leather
- Excellent grip and dexterity
- Seamless knit nylon back for comfort

TYPICAL USES

- General maintenance
- Metal handling
- Tool and equipment handling
- Warehousing/shipping/receiving
- Tasks involving oil

PROTECTION



Description	Color	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G40 Foam Nitrile Coated Gloves		47084	40225	40226	40227	40228	40229	12 pairs/bag • 5 bags/case

† CAUTION: This product contains natural rubber latex, which may cause allergic reactions.



G40 Latex[†] Coated Gloves



FEATURES

- Crinkled latex coating for excellent grip
- High EN388 tear-resistance rating
- Excellent durability
- Breathable polyester seamless knit back for comfort

TYPICAL USES

- Masonry
- General maintenance
- Construction and heavy-duty materials handling
- Warehousing/shipping/receiving
- Metal handling
- Tasks involving oil

PROTECTION



Description	Color	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G40 Latex [†] Coated Gloves		—	97270	97271	97272	97273	97274	12 pairs/bag • 5 bags/case

G35 Inspection Gloves



FEATURES

- Ambidextrous for improved cost-in-use and efficiency
- Excellent sensitivity and dexterity for inspecting defects and imperfections
- Made with silicone-free components to minimize contamination risk
- Seamless knit shell

TYPICAL USES

- General manufacturing
- Quality inspection
- Aerospace surface prep and paint
- Composite shops
- Film and glass handling



PROTECTION



Description	Color	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G35 Inspection Gloves		38716	38717	38718	38719	38720	—	12 pairs/bag • 10 bags/case

[†] CAUTION: This product contains natural rubber latex, which may cause allergic reactions.



KLEENGUARD™

CUT RESISTANT GLOVES & SLEEVES

PLUS	✓✓✓	G60 Endurapro™ Dual Grip	13 Gauge
		G60 Endurapro™ Knuckle Coated	15 Gauge
		G60 Endurapro™ Nitrile Coated	15 Gauge
		G60 Endurapro™ Heavy-Duty Polyurethane Coated	13 Gauge
		G60 Endurapro™ Medium-Duty Polyurethane Coated	13 Gauge
		G60 Endurapro™ Heavy-Duty Sleeve	
ESSENTIAL	✓✓✓	G60 Endurapro™ Light-Duty Polyurethane Coated	10 Gauge
		G60 Endurapro™ Light-Duty Sleeve	

CUT RESISTANT GLOVES & SLEEVES

KleenGuard™ Cut Resistant Gloves & Sleeves provide protection when working with sharp or pointed objects. They each provide cut performance, grip and flexibility to enhance productivity and the safety of workers.

WHICH GLOVE IS RIGHT FOR YOU?

Choose from a less-complicated, universal product line, including the easily recognizable ambidextrous KleenGuard™ G60 Endurapro™ Dual Grip Gloves.

G60 Endurapro™ Dual Grip Cut Resistant Gloves



FEATURES

- Ambidextrous design improves cost-in-use
- Not made with natural rubber latex

TYPICAL USES

- Metal fabrication
- Glass handling
- Handling sharp objects
- Automotive, aerospace and transportation assembly
- Ceramics

PROTECTION

- ANSI:2011 - Cut Level 3
- ANSI:2016 - Cut Level A2
- EN388:2003 - Cut Level 3
- EN388:2016 - Cut Level B



Description	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G60 Endurapro™ Dual Grip Purple Nitrile™ Cut Resistant Gloves	13844	97430	97431	97432	97433	97434	12 pairs/bag • 1 bag/case

G60 Endurapro™ Knuckle Coated Cut Resistant Gloves†



FEATURES

- Aramid Blend
- Excellent dexterity for improved productivity
- Polyurethane coating provides a barrier against oil penetration
- Grey polyurethane-coated palm for improved grip
- Suitable for intermittent heat contact up to 212°F

TYPICAL USES

- Glass handling
- Handling sharp objects
- Handling metal plates and edges
- Assembly and finishing in automotive, aerospace and transportation
- Metal fabrication

PROTECTION

- ANSI:2011 - Cut Level 2
- ANSI:2016 - Cut Level A2
- EN388:2003 - Cut Level 2
- EN388:2016 - Cut Level 2



Description	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G60 Endurapro™ Knuckle Coated Cut Resistant Gloves†	—	38642	38643	38644	38645	38646	12 pairs/bag • 1 bag/case

G60 Endurapro™ Nitrile Coated Cut Resistant Gloves†



FEATURES


- Aramid Blend
- Great dexterity and grip
- Abrasion-resistant nitrile coating
- Suitable for intermittent heat contact up to 212°F

TYPICAL USES

- Glass handling
- Handling sharp objects
- Handling of metal plates and edges
- Assembly and finishing in automotive, aerospace and transportation
- Metal fabrication

PROTECTION

- EN388:2003 - Cut Level 2
- ANSI:2011 - Cut Level 2
- ANSI:2016 - Cut Level A1



Description	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G60 Endurapro™ Nitrile Coated Cut Resistant Gloves†	47105	98230	98231	98232	98233	98234	12 pairs/bag • 5 bags/case

† CAUTION: This product contains natural rubber latex, which may cause allergic reactions.

G60 Endurapro™ Heavy-Duty Polyurethane Coated Cut Resistant Gloves†



FEATURES

- Superior cut protection
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber spun with glass, stainless steel and spandex for greater cut protection

TYPICAL USES

- Glass handling
- Handling sharp objects
- Handling metal plates and edges
- Assembly and finishing in automotive, aerospace and transportation
- Metal fabrication

PROTECTION

- ANSI:2011 - Cut Level 4
- ANSI:2016 - Cut Level A4
- EN388:2003 - Cut Level 5
- EN388:2016 - Cut Level D3



Description	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G60 Endurapro™ Heavy-Duty Polyurethane Coated Cut Resistant Gloves†	47106	98235	98236	98237	98238	98239	12 pairs/bag • 1 bag/case

G60 Endurapro™ Medium-Duty Polyurethane Coated Cut Resistant Gloves†



FEATURES

- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon, Lycra® brand fiber and glass liner for cut protection and a comfortable fit
- Excellent dexterity for improved productivity
- Polyurethane coating enhances wet and dry grip

TYPICAL USES

- Glass handling
- Handling sharp objects
- Handling metal plates and edges
- Assembly and finishing in automotive, aerospace and transportation
- Metal fabrication

PROTECTION

- ANSI:2011 - Cut Level 3
- ANSI:2016 - Cut Level A2
- EN388:2003 - Cut Level 3
- EN388:2016 - Cut Level B



Description	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G60 Endurapro™ Medium-Duty Polyurethane Coated Cut Resistant Gloves†	47103	13823	13824	13825	13826	13827	12 pairs/bag • 1 bag/case

† CAUTION: This product contains natural rubber latex, which may cause allergic reactions.

G60 Endurapro™ Light-Duty Polyurethane Coated Cut Resistant Gloves†



FEATURES

- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon and Lycra® brand fiber provides cut protection and a comfortable fit
- Black polyurethane coating enhances grip
- Dark coating hides dirt for longer wear

TYPICAL USES

- Glass handling
- Handling sharp objects
- Handling metal plates and edges
- Assembly and finishing in automotive, aerospace and transportation
- Metal fabrication

PROTECTION

- ANSI:2011 - Cut Level 2
- ANSI:2016 - Cut Level A1
- EN388:2003 - Cut Level 3



10 Gauge



Description	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G60 Endurapro™ Light-Duty Polyurethane Coated Cut Resistant Gloves†	—	38689	38690	38691	38692	38693	12 pairs/bag • 1 bag/case

† CAUTION: This product contains natural rubber latex, which may cause allergic reactions.



G60 Endurapro™ Heavy-Duty Sleeve†



FEATURES

- CPPT = 1244 grams
- 18" length
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber with nylon, Lycra® brand fiber and glass for cut protection and a comfortable fit
- Proprietary adjustable closure on arm and wrist

TYPICAL USES

- Glass handling
- Handling sharp objects
- Handling metal plates and edges
- Assembly and finishing in automotive, aerospace and transportation
- Metal fabrication

PROTECTION

- ANSI:2003 - Cut Level 3
- ANSI:2011 - Cut Level A3
- EN388:2003 - Cut Level 5
- EN388:2016 - Cut Level C



2X41C



Description	One Size Fits All	Case Count
G60 Endurapro™ Heavy-Duty Sleeve†	90075	6 pairs/bag • 2 bags/case

G60 Endurapro™ Light-Duty Sleeve†



FEATURES

- CPPT = 934 grams with thumbhole/920 grams without thumbhole
- 18" length
- Cut-resistant outer layer with cotton inner layer for comfortable fit
- Good breathability

TYPICAL USES

- Glass handling
- Handling sharp objects
- Handling metal plates and edges
- Assembly and finishing in automotive, aerospace and transportation
- Metal fabrication

PROTECTION

- ANSI:2011 - Cut Level 2
- ANSI:2016 - Cut Level A2
- EN388:2003 - Cut Level 2
- EN388:2016 - Cut Level 2



X1XXXX



1243X



With thumbhole



Description	One Size Fits All	Case Count
G60 Endurapro™ Light-Duty Sleeve†	90070	6 pairs/bag • 5 bags/case

† CAUTION: This product contains natural rubber latex, which may cause allergic reactions.



CHEMICAL RESISTANT GLOVES

PLUS	✓✓✓	G80 Nitrile Chemical	15 mil
		G80 Neoprene/Latex [®] Chemical	28 mil

KleenGuard™ Chemical Resistant Gloves provide dexterity and protection from dangerous or unsafe liquid hazards for those manufacturing organizations where safety and productivity goals are not in conflict.

G80 Nitrile Chemical Resistant Gloves



FEATURES

- High abrasion and good puncture resistance, without compromising dexterity
- Resistant to many common chemicals, including oils and solvents
- Textured fingertips enhance grip
- Cotton flock-lined for extra comfort and easy donning
- Not made with natural rubber latex

TYPICAL USES

- Chemical processing
- Oil refining
- Metal fabrication
- Automotive assembly and painting
- Aerospace and automotive degreasing
- General maintenance/janitorial
- Process protection against raw food handling



PROTECTION



Description	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G80 Nitrile Chemical Gloves	—	94445	94446	94447	94448	94449	12 pairs/bag • 5 bags/case

G80 Neoprene/Latex[†] Chemical Resistant Gloves



FEATURES

- High resistance to acids, alkalis, oils and solvents
- Anti-slip pattern on fingers to enhance wet or dry grip
- Neoprene over natural rubber latex construction
- Highest level of dexterity per EN 420:2003+A1:2009
- Meets EN374-KLMPST standard
- Custom cuff band helps keep cuff in place
- Cotton flock lining adds comfort and absorbs perspiration, for easy donning and removal

TYPICAL USES

- Chemical processing
- Cleaning and degreasing with soaps and detergent formulations
- Handling acids, bases, alcohols, alkalis, phenols and salts
- Wiping down parts and machinery with solvents



PROTECTION



Description	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	Case Count
G80 Neoprene/Latex Chemical Gloves [†]	—	38741	38742	38743	38744	—	12 pairs/bag • 5 bags/case

[†] CAUTION: This product contains natural rubber latex, which may cause allergic reactions.



EYE
PROTECTION





EYE PROTECTION

Designed with the wearer's needs and style in mind, the KleenGuard™ Brand offers a wide selection of eye protection options. In addition, Kimberly-Clark Professional offers a variety of performance safety eye protection under the Smith & Wesson® Brand.

KleenGuard™ Eye Protection is designed with human-centric engineering that enables rather than inhibits — allowing for maximum productivity and safety.











KleenGuard™ Eye Protection — **Perform with Distinction.**

90% of eye injuries can be prevented through the use of proper protective eyewear.¹²

¹² US Department of Labor. OSHA Fact Sheet: Eye Protection in the Workplace



Symbols Key

 Meets the optical requirements of the ANSI Z87.1 standards	 Product features U6 rated lenses	 Product complies with the Trade Agreements Act	 Meets the impact protector requirements of the ANSI Z87.1 standards
 Meets the ANSI Z87.1 requirements for liquid splash/droplet protection	 Meets the ANSI Z87.1 requirements for dust protection	 Meets the ANSI Z87.1 requirements for fine dust protection	 Recyclable with RightCycle by Kimberly-Clark Professional®
 Certified to meet the impact, ignition/flammability, coverage, and optical requirements of the CSA Z94.3 standards	 Number denotes the base curve of the eye protection; a higher base curve provides more wraparound protection and peripheral vision, and can reduce the need for side shields		

EYE PROTECTION

KleenGuard™ Eye Protection offers a wide range of safety eye protection that provides comfort and durability with a variety of styles that maximize productivity and safety. See the charts below to determine the right eyewear for your workplace and application.

EYE PROTECTION BY FEATURES

	IMPACT PROTECTION				
	STANDARD SAFETY GLASSES	OVER THE GLASS	READERS SAFETY GLASSES	DUST PROTECTION	LIQUID SPLASH PROTECTION EYEWEAR
PREMIUM 	<ul style="list-style-type: none"> Maverick™ 		<ul style="list-style-type: none"> Nemesis™ Readers 	<ul style="list-style-type: none"> Calico™ 	<ul style="list-style-type: none"> Monogoggle™ XTR Revolution™ OTG V90 Shield
PLUS 	<ul style="list-style-type: none"> Nemesis™ Hellraiser™ Smith & Wesson® 	<ul style="list-style-type: none"> OTG 	<ul style="list-style-type: none"> 30-06 Dual Readers 		<ul style="list-style-type: none"> Monogoggle™ VPC Wildcat™ Monogoggle™ 211 MRXV
ESSENTIAL 	<ul style="list-style-type: none"> Element™ Visio™ Purity™ Envision™ 	<ul style="list-style-type: none"> Unispec™ II 		<ul style="list-style-type: none"> Monogoggle™ 202 	<ul style="list-style-type: none"> SG34

LENS TYPE SELECTOR

ANTI-GLARE	ANTI-FOG	HARD-COATED	UNCOATED
For reducing eye strain and fatigue and enhanced comfort from prolonged computer use	For humid environments and temperature variances	For scratch resistance and longer life	For economical budgets and fewer uses

SELECTING THE RIGHT EYE PROTECTION

We make safety decisions easy with a less-complicated product line focused on effective protection and productivity.

	HAZARDS	TASKS	 Metal & Heavy Equipment	 Transportation	 Oil & Gas	 Food	 Mining	 Agriculture	 Manufacturing	 Construction
Nemesis™, Calico™, Wildcat™	Non-hazardous dust, particulates, sanding debris	Sanding/grinding surfaces	✓	✓	✓				✓	✓
Nemesis™, Calico™, Wildcat™	Non-hazardous particulates, e.g., sawdust, MDF, drywall, dusts	Cutting, milling, sanding, sweeping		✓					✓	✓
Nemesis™, Purity™	Dirt/grime, grease, cleaning products	Machine/vehicle maintenance, light janitorial	✓	✓	✓	✓	✓	✓	✓	
Nemesis™, Maverick™	Woodworking, masonry, brick, mortar/concrete dusts and debris	Sanding, cutting, drilling, turning, staining/painting							✓	✓
Nemesis™, Maverick™	Fiberglass, cellulose particles	Insulation installation/removal		✓					✓	✓
Calico™, Wildcat™, Nemesis™	Hazardous particulates, e.g., asbestos, lead, mold, radioactive particulates	Demolition, remediation, abatement, site inspection or preparation	✓	✓			✓			✓
Calico™, Wildcat™	Coal dust, silica	Ore extraction, site cleanup, transportation, mechanical handling			✓		✓			✓
Calico™, Wildcat™	Powders, dry pharmaceuticals	Powder handling, milling, pharma				✓		✓	✓	
Wildcat™, V90 Shield	Sparks, cuts, abrasion, small flying debris, metalworking	Welding, metal grinding, polishing, surface prep/finishing, assembly	✓	✓	✓		✓		✓	✓
Monogoggle™ XTR	Dilute, non- or low-hazard liquid chemical splash	Low-pressure industrial cleaning, tank cleaning, parts cleaning	✓	✓	✓	✓	✓	✓	✓	✓
Monogoggle™ XTR	Dilute acids	Brick cleaning, surface prep/cleaning	✓	✓					✓	✓
Nemesis™, Element™	Wet, slippery floors	Food processing wash down	✓	✓	✓	✓			✓	✓
Nemesis™, Element™	Disinfectant, detergent, soap, surfactant	Equipment sanitation and disinfection		✓		✓		✓	✓	
Monogoggle™ XTR, Revolution™ Goggle	Lime/caustic handling (dry bricks, powders or liquid solutions)	Concrete and mortar mixing, pouring and finishing							✓	

										
	HAZARDS	TASKS	Metal & Heavy Equipment	Transportation	Oil & Gas	Food	Mining	Agriculture	Manufacturing	Construction
Wildcat™, Calico™	Paint overspray/dry particulates	Spray painting, powder coating	✓	✓					✓	
Wildcat™, Calico™	Paint overspray, non-hazardous aerosol, mist/light liquid contact	Spray painting	✓	✓					✓	✓
Wildcat™, Calico™	Paint overspray, heavy liquid contact	Spray painting	✓	✓					✓	✓
Wildcat™, Revolution™ Goggle	Heavy liquid paint splashes	Mixing, clean up	✓	✓					✓	
Calico™	Spray foam	Insulation installation							✓	✓
Monogoggle™ XTR, Revolution™ Goggle	Drilling muds	Oil drilling, fracking			✓					
Nemesis™, Maverick™	Resins	Composites/fiberglass layup		✓						
Monogoggle™ XTR, Revolution™ Goggle	Sewage, animal waste, blood borne pathogens ^{††} —light exposure	Livestock handling/processing, sewage purification, waste management, crime scene investigation/cleanup, plowing				✓		✓		
Monogoggle™ XTR, Revolution™ Goggle	Sewage, animal waste, blood borne pathogens ^{††} —heavy exposure	Livestock handling/slaughter/processing, sewage purification, waste management, crime scene cleanup				✓		✓		
Nemesis™, Maverick™	Solid/granular fertilizers, grain dust/animal feed	Crop treatment, grain handling				✓		✓		
Monogoggle™ XTR, Revolution™ Goggle	Dilute sprayed pesticides – low/moderate splash (low vapor)	Crop spraying/facilities maintenance						✓		
Revolution™ Goggle, V90 Shield	Chemical splash	Chemical transportation, handling, tank/equipment cleaning, site remediation, chip etching	✓	✓	✓	✓			✓	✓
Nemesis™, Maverick™	Textiles and paper processing	Paper processing, textile manufacturing							✓	
Calico™, Wildcat™	Cotton, textile dust and fiber exposure	Production of new fiber, cutting operations						✓	✓	
Nemesis™, Maverick™	Adhesives	Bonding, gluing, sealing	✓	✓					✓	✓

†† Not for medical use



KLEENGUARD™

STANDARD SAFETY GLASSES

PREMIUM	✓✓✓	Maverick™
PLUS	✓✓✓	Nemesis™
		Hellraiser™
		Smith & Wesson®
ESSENTIAL	✓✓✓	Element™
		Visio™
		Purity™
		Envision™




Maverick™ Safety Glasses



Don't underestimate the power of style. Your workers need protection, but they also care how they look. Maverick™ Eye Protection, the first eyewear created for the KleenGuard™ Brand, delivers confident protection without compromising style or comfort. It's PPE that workers will want to wear. With Maverick™ Eye Protection, compliance has never looked so good.

FEATURES

Passes the EN166 "N" mark test for resistance to fogging and EN166 "K" mark test for resistance to surface damage by fine particles. (49309, 49311, and 49301 only)



Z87.1 + U6 TAA SP

Code	Lens	Coating	Frame	Pairs/Box
49309	Clear	Anti-Fog	Black	12
49312	Clear	Anti-Glare	Black/Orange Tip	12
49301	Clear	Anti-Fog	Clear/Orange Tip	12
49311	Smoke	Anti-Fog	Black	12



Recyclable with RightCycle by Kimberly-Clark Professional®



Nemesis™ Safety Glasses



There's a reason why Nemesis™ Eye Protection is one of the top-selling brands in North America and the most popular line in the KleenGuard™ Eye Protection portfolio.

Make that several reasons: comfort, style, durability, and a range of options to address individual needs. They all affect how workers look and feel when wearing PPE — potentially tipping the scale between protection and injury. Why take a chance on anything else?



FEATURES

- Lightweight, wraparound design provides clear peripheral vision
- Hard-coated lenses for scratch resistance and longer life



Unsurpassed durability is just what you'd expect from a trusted leader recognized for high-quality, reliable eye protection. Choose the "original" Nemesis™ Safety Glasses.

Z87.1

+

U6

TAA



- Variety of frame colors to express individuality and help drive compliance
- Wide choice of lens options to help reduce eye fatigue



Code	Lens	Coating	Frame	Pairs/Box
25676	Clear	—	Black	12
25679	Clear	Anti-Fog	Black	12
25659	Amber	—	Black	12
22476	Amber	Anti-Fog	Black	12
19642	Copper Blue Shield	—	Black	12
25688	Smoke Mirror	Mirror	Black	12
22475	Smoke	Anti-Fog	Black	12
25692	IRUV Shade 3.0	—	Black	12
14481	Blue Mirror	Mirror	Black	12
19639	Light Blue	—	Blue	12
22608	Clear	Anti-Fog	Camo	12
22610	Amber	Anti-Fog	Camo	12
19644	Bronze	—	Camo	12
22609	Smoke	Anti-Fog	Camo	12
47378	Clear	Anti-Fog	Red	12
22611	Smoke	Anti-Fog	Red	12
47388	Clear	Anti-Fog	Silver	12
47383	Smoke	Anti-Fog	Silver	12
47384	Clear	Anti-Fog	Metallic Blue	12
47387	Smoke	Anti-Fog	Metallic Blue	12



Recyclable with RightCycle
by Kimberly-Clark Professional®



Nemesis™ Polarized Safety Glasses



FEATURES

- Lightweight, wraparound design provides clear peripheral vision
- Superior polarized-lens technology to reduce eye stress and fatigue caused by excessive glare
- Superior anti-scratch lens coating increases lens longevity, passing the EN 166 "K" mark testing for resistance to surface damage by fine particles



Z87.1 + U6 TAA

Code	Lens	Coating	Frame	Pairs/Box
28637	Polarized Brown	—	Brown	12
28635	Polarized Smoke	—	Gunmetal	12



Nemesis™ Small Safety Glasses



FEATURES

- Sporty eye protection that fits a smaller, slimmer head without adjustments
- Patented Flex-Dry™ nosepiece design with integrated ridges to divert sweat
- Select styles have colorful temple tips
- Hard-coated lenses for scratch resistance and longer life



Z87.1 + U6 TAA

Code	Lens	Coating	Frame	Pairs/Box
38474	Clear	—	Black w/Black Tips	12
38478	Clear	Anti-Fog	Black w/Pink Tips	12
38480	Indoor/Outdoor	—	Black w/Green Tips	12
38476	Smoke	—	Black w/Black Tips	12



Recyclable with RightCycle
by Kimberly-Clark Professional®



FEATURES

- A removable foam gasket helps limit eye exposure to dirt and debris while providing added comfort and cushioning
- In a 2022 study, participants said that Nemesis™ Foam gave them a sense of protection without compromising comfort¹³
- Meets ANSI Z87.1+ standards for impact protection



Z87.1+ U6 TAA 8.25

Code	Lens	Coating	Frame	Pairs/Box
65335	Clear	Anti-Fog	Black	12
65336	Smoke	Anti-Fog	Black	12

¹³ Based on an August 2022 user study





FEATURES

- Sporty, flexible, frameless design makes it even more lightweight for comfort and compliance
- No-brow design increases upward peripheral vision and limits interference with hard hat suspension systems
- Hard-coated lenses for scratch resistance and longer life

Z87.1

+

U6

TAA

Code	Lens	Coating	Frame	Pairs/Box
20470	Clear	—	Gunmetal	12
29111	Clear	Anti-Fog	Gunmetal	12
29112	Indoor/Outdoor	—	Gunmetal	12
25704	Smoke	—	Gunmetal	12
20471	Blue Mirror	Anti-Fog	Gunmetal	12
20473	IRUV Shade 5.0	—	Gunmetal	12
20472	Bronze	—	Camo	12



Recyclable with RightCycle by Kimberly-Clark Professional®





FEATURES

- Lightweight, wraparound design that provides clear peripheral vision
- Patented Flex-Dry™ nosepiece with integrated ridges to divert sweat
- Hard-coated lenses for scratch resistance and longer life



Code	Lens	Coating	Frame	Pairs/Box
20378	Clear	—	Black	12
20379	Clear	Anti-Fog	Black	12
25673	Amber	—	Black	12
20381	Indoor/Outdoor	—	Black	12
20384	Copper Blue Shield	—	Black	12
20382	Blue Mirror	—	Black	12
20380	Smoke Mirror	—	Black	12
20640	IRUV Shade 5.0	—	Black	12
20383	Light Blue	—	Blue	12
20385	Smoke Mirror	—	Gunmetal	12
20386	Bronze	—	Camo	12







FEATURES

- Compact, lightweight sunglass design for comfort
- Flex-point temples for comfort and stability
- Hard-coated lenses for scratch resistance and longer life



Z87.1

+

U6

TAA



Code	Lens	Coating	Frame	Pairs/Box
20539	Clear	—	Black	12
28615	Clear	Anti-Fog	Black	12
20541	Amber	—	Black	12
20542	Light Blue	—	Black	12
25716	Indoor/Outdoor	—	Black	12
25714	Smoke	—	Black	12
20544	IRUV Shade 3.0	—	Black	12
20543	Blue Mirror	Mirror	Black	12
20545	IRUV Shade 5.0	—	Black	12





SMITH & WESSON® Safety Glasses

Smith & Wesson® understands how a safety glass should fit the face to afford proper protection, stability, and comfort. These safety glasses utilize wraparound designs to ensure excellent peripheral protection, combined with comfortable three-point fit construction. Once you try on a pair of Smith & Wesson® Safety Glasses, you'll see and feel the difference. Wear them at work, the shooting range or in the field.

All Smith & Wesson® Safety Glasses are ANSI Z87.1-2015 certified and feature precision cut, polycarbonate lenses for reduced distortion and 99.9% protection from harmful UV light.

Smith & Wesson® Elite™ Safety Glasses



FEATURES

- Lightweight, “retro-style” sunglasses design provides the latest fashion statement in safety eyewear
- Wide temples provide structural integrity and stability
- Hard-coated lenses for scratch resistance and longer life



Code	Lens	Coating	Frame	Pairs/Box
21302	Clear	Anti-Fog	Black	12
21305	Amber	Anti-Fog	Black	12
21306	Indoor/Outdoor	—	Black	12
21303	Smoke	—	Black	12
21307	Blue Mirror	Mirror	Black	12



Every pair comes with a **carrying pouch** that can double as a lens cleaning solution



Smith & Wesson® Magnum® 3G Safety Glasses



FEATURES

- Frameless sunglasses design
- Extendable temples offer three different temple lengths for a customized fit
- Self-adjusting nose pad with rubber fingers designed to prevent glasses from slipping down the nose
- Hinge stops prevent temple tips from scratching lenses for increased longevity
- Hard-coated lenses for scratch resistance and longer life



Code	Lens	Coating	Frame	Pairs/Box
19799	Clear	—	Black	12
19794	Clear	Anti-Fog	Black	12
19826	Amber	—	Black	12
19823	Smoke	—	Black	12
19955	Smoke	Anti-Fog	Black	12
19940	Green Mirror	Mirror	Black	12
19961	Clear	—	Platinum	12



Smith & Wesson® Magnum® 3G Mini Safety Glasses



FEATURES

- The same frameless sunglasses design of Magnum® 3G, but in a smaller frame size for slimmer heads
- Extendable temples offer three different temple lengths for a customized fit
- Self-adjusting nose pad with rubber fingers designed to prevent glasses from slipping down the nose
- Hinge stops prevent temple tips from scratching lenses for increased longevity
- Hard-coated lenses for scratch resistance and longer life











Z87.1

+

U6

TAA

7 Year Warranty

Code	Lens		Coating	Frame		Pairs/Box
19822		Clear	—		Black	12
19828		Amber	—		Black	12
19824		Smoke	—		Black	12
20337		Gold Mirror	Mirror		Black	12



Smith & Wesson® Equalizer Safety Glasses



FEATURES

- Popular sunglasses design with a variety of frame color options for worker individuality
- Soft and flexible rubber nose pads and sport grip temples reduce slippage and provide superior comfort and fit
- Hard-coated lenses for scratch resistance



Code	Lens	Coating	Frame	Pairs/Box
21294	Clear	—	Gunmetal	12
21296	Clear	Anti-Fog	Gunmetal	12
21298	Indoor/Outdoor	—	Gunmetal	12
21297	Smoke	Anti-Fog	Gunmetal	12
21299	Amber	—	Red	12
21301	Blue Mirror	Mirror	Blue	12

Every pair comes with a **carrying pouch** that can double as a lens cleaning solution



Smith & Wesson® Safety Eye Protection Carrying Pouch with Belt Clip

FEATURES

- Water-resistant carrying pouch with heavy-duty belt clip keeps safety glasses handy yet out of harm's way when not in use
- Velcro® closure helps to secure safety glasses

Code	Size	Case Count
19941	7.25" x 4.25"	12





Element™ Safety Glasses











FEATURES

- Lightest-weight eye protection in KleenGuard™ Brand portfolio
- Metal-free design with screw-less hinges necessary for food processing applications



Z87.1 + U6 TAA 

Code	Lens	Coating	Frame	Pairs/Box
25627	 Clear	Uncoated	 Clear	12
33072	 Light Blue	Uncoated	 Light Blue	12
25638	 Indoor/Outdoor	Uncoated	 Black	12
25631	 Smoke	Uncoated	 Black	12



Visio™ Safety Glasses















FEATURES

- Three-point extendable temples to provide a customized fit for enhanced comfort
- Unique dual-tone frame for added style to encourage compliance
- Hard-coated lenses for scratch resistance and longer life



Z87.1 + U6 TAA 

Code	Lens	Coating	Frame	Pairs/Box
14470	 Clear	—	 Silver	12
14471	 Clear	Anti-Fog	 Silver	12
14476	 Indoor/Outdoor	—	 Black	12
14472	 Smoke	—	 Silver	12
14473	 Smoke	Anti-Fog	 Silver/Black	12
14475	 Blue Mirror	—	 Black	12



Recyclable with RightCycle
by Kimberly-Clark Professional®

Purity™ Safety Glasses



FEATURES

- Padded temples for enhanced comfort
- Hard-coated lenses for scratch resistance and longer life



Code	Lens	Coating	Frame	Pairs/Box
25650	Clear	—	Clear	12
25654	Clear	Anti-Fog	Clear	12
25649	Amber	—	Amber	12
25656	Indoor/Outdoor	—	Clear	12
25652	Smoke	—	Smoke	12

Envision™ Safety Glasses



FEATURES

- Four-point ratchet temples to provide a customized fit for enhanced comfort
- Browguard provides extended coverage and protection from flying particles
- Hard-coated lenses for scratch resistance and longer life



Code	Lens	Coating	Frame	Pairs/Box
14477	Clear	—	Black	12
14478	Clear	Anti-Fog	Black	12
14479	Smoke	—	Black	12
14480	Indoor/Outdoor	—	Black	12



KLEENGUARD™

	OVER THE GLASS	READERS SAFETY GLASSES
PREMIUM ✓✓✓		Nemesis™ Readers
PLUS ✓✓✓	OTG	30-06 Dual Readers
ESSENTIAL ✓✓✓	Unispec™ II	

OTG Safety Glasses



FEATURES

- Over-the-glass, nylon frame option for prescription glasses wearers for flexibility, strength, comfort and durability
- See-through integrated side shields provide protection without hindering peripheral vision
- Hard-coated lenses for scratch resistance and longer life



Code	Lens	Coating	Frame	Pairs/Box
20746	Clear	Anti-Fog	Black	12
20748	Indoor/Outdoor	—	Black	12
20747	Smoke	Anti-Fog	Brown	12
21917	IRUV Shade 5.0	—	Black	12



Unispec™ II Safety Glasses



FEATURES

- Over-the-glass eye protection that fits over most prescription eyewear
- Metal-free design with screw-less hinges necessary for food processing applications



Code	Lens	Coating	Frame	Pairs/Box
25646	Clear	Uncoated	Clear	50
16727	Clear	Hard-coated	Clear	50



Recyclable with RightCycle
by Kimberly-Clark Professional®





Nemesis™ Rx Readers Prescription Glasses



FEATURES

- Stylish, nylon framed eye protection with integrated diopters for vision assistance
- Patented Flex-Dry™ nosepiece with integrated ridges to divert sweat
- Hard-coated lenses for scratch resistance and longer life



Code	Lens	Strength	Frame	Pairs/Box
28618	Clear	+1.0	Black	6
28621	Clear	+1.5	Black	6
28624	Clear	+2.0	Black	6
28627	Clear	+2.5	Black	6
28630	Clear	+3.0	Black	6
22516	Smoke	+1.5	Black	6
22518	Smoke	+2.0	Black	6
22519	Smoke	+2.5	Black	6



Nemesis™ with Rx Inserts Prescription Glasses



FEATURES

- More lightweight and comfortable than side shields and over-the-glasses safety glasses
- Adjustable ratchet-action temples with five positions provide a customized fit
- Includes a close-fit prescription lens insert behind the polycarbonate eye shield
- Anti-fog coating to prevent fogging; ideal for humid environments and temperature variances
- Hard-coated lenses for scratch resistance and longer life



Code	Lens	Coating	Frame	Pairs/Box
38503	Clear	Anti-Fog	Black	12
38507	Indoor/Outdoor	Anti-Fog	Metallic Blue & Black	12
38505	Smoke	Anti-Fog	Black	12



Recyclable with RightCycle by Kimberly-Clark Professional®



30-06 Rx Readers Prescription Glasses



FEATURES

- Stylish, nylon frame with integrated diopters for vision assistance
- Soft, self-adjusting rubber nose pad for comfort
- Hard-coated lenses for scratch resistance



Z87.1 + U6 TAA 7^{BASE} 7^{CLIP}

Code	Lens	Strength	Frame	Pairs/Box
19876	Clear	+1.0	Black	6
19878	Clear	+1.5	Black	6
19879	Clear	+2.0	Black	6
19891	Clear	+2.5	Black	6
19892	Clear	+3.0	Black	6
19893	Amber	+1.5	Black	6
19894	Amber	+2.0	Black	6
19913	Amber	+2.5	Black	6
19872	Brown	+1.5	Tortoise	6
19874	Brown	+2.0	Tortoise	6
19875	Brown	+2.5	Tortoise	6
20553	IRUV Shade 5.0	+1.5	Black	6
20558	IRUV Shade 5.0	+2.0	Black	6
20559	IRUV Shade 5.0	+2.5	Black	6



Recyclable with RightCycle
by Kimberly-Clark Professional®

30-06 Dual Readers Prescription Glasses



FEATURES

- Stylish, nylon frame with integrated diopters on both top and bottom for vision assistance when looking either up or down
- Soft, self-adjusting rubber nose pad for comfort
- Hard-coated lenses for scratch resistance



Code	Lens		Strength	Frame		Pairs/Box
20387		Clear	+1.5		Black	6
20388		Clear	+2.0		Black	6
20389		Clear	+2.5		Black	6





KLEENGUARD™

	DUST PROTECTION	LIQUID SPLASH PROTECTION EYEWEAR
PREMIUM ✓✓✓	Calico™	Monogoggle™ XTR
		Revolution™ OTG
		V90 Shield
PLUS ✓✓✓		Monogoggle™ VPC
		Wildcat™
		Monogoggle™ 211
ESSENTIAL ✓✓✓		MRXV
	Monogoggle™ 202	SG34

Calico™ Safety Glasses



FEATURES

- Interchangeable temple bars and head strap when a closer, more secure fit is required
- Removable foam lining helps to seal out dust and debris
- KleenVision™ anti-fog coating and ventilation from cushioned brow bar provide premium anti-fog performance for worker efficiency and safety, passing the EN 166 "N" mark test
- Increase lens longevity with a superior anti-scratch coating to prevent scratches that could impair vision. Passes the EN 166 "K" mark test for resistance to surface damage by fine particles



Code	Lens	Coating	Frame	Pairs/Box
25672	Clear	Anti-Fog	Black	12
25674	Amber	Anti-Fog	Black	12
25675	Smoke	Anti-Fog	Black	12



Every pair comes with a **carrying pouch** that can double as a lens cleaning solution



Interchangeable head strap allows tighter fit

Monogoggle™ 202 Goggle



FEATURES

- Two-piece frame with a separate soft, cushioning nosepiece for enhanced comfort
- Headband buckles toward the rear of the frame to limit interference with peripheral vision
- Unventilated design provides protection from fine dust particles
- Fits over most prescription eyeglasses
- Hard-coated lenses for scratch resistance



Code	Lens	Coating	Frame	Pairs/Box
16666	Clear	—	Green	36



Monogoggle™ XTR OTG Goggle



FEATURES

- Curved lens for enhanced field of vision and comfort
- Anti-fog coating; ideal for humid environments and temperature variance



Code	Lens	Coating	Frame	Pairs/Box
18624	Clear	Anti-Fog	Blue	6
18626	IRUV Shade 5.0	Anti-Fog	Black	6
30707	Clear Replacement Lens	Anti-Fog	N/A	12



Revolution™ OTG Goggle



FEATURES

- Sleek, sporty design with a curved lens for enhanced field of vision
- Patented cross vent technology keeps air flowing in and moisture out to prevent fogging and enhance comfort
- Soft, pliable frame gasket for enhanced fit and comfort
- Fits over most prescription eyewear
- Anti-fog coating; ideal for humid environments and temperature variances — productivity
- Hard-coated lenses for scratch resistance



Code	Lens	Coating	Frame	Pairs/Box
14399	Clear	Anti-Fog	Blue	30



Wildcat™ Goggle



FEATURES

- Pliable, compact frame with foam gasket that conforms to the face for all-day comfort
- Adjustable, sliding side vents to optimize airflow
- Pivoting headband allows for optimal placement
- Extreme heat resistance, this eye protection will not melt, drip or ignite at 350°F for five minutes
- Metal-free design for process contamination protection
- Anti-fog coating; ideal for humid environments and temperature variances



Code	Lens		Coating	Frame		Pairs/Box
20525		Clear	Anti-Fog		Black	12
20526		Smoke	Anti-Fog		Black	12
20527		Amber	Anti-Fog		Black	12
20528		IRUV Shade 3.0	Anti-Fog		Black	12
20529		IRUV Shade 5.0	Anti-Fog		Black	12



Monogoggle™ VPC Goggle



FEATURES

- Same two-piece goggle frame as the Monogoggle™ 202 and 211, but with a larger lens for enhanced comfort with larger prescription eyeglasses
- Wider nosepiece to fit over most half-mask respirators to enhance comfort
- Indirect ventilation like the Monogoggle™ 211 style, but with two additional baffled ports for increased airflow and to minimize condensation and fogging
- Headband buckles are located toward the rear of the goggle frame to limit interference with peripheral vision
- Fits over most prescription eyeglasses
- Anti-fog coating; ideal for humid environments and temperature variances
- Hard-coated lenses for scratch resistance



Code	Lens	Coating	Frame	Pairs/Box
16361	Clear	Anti-Fog	Bronze	36

Monogoggle™ 211 Goggle



FEATURES

- Two-piece frame with a separate soft, cushioning nosepiece for enhanced comfort
- Available with a wider nosepiece (16669) to fit over most half-mask respirators and with a foam lining (16668) for comfort
- Headband buckles are located toward the rear of the frame to limit interference with peripheral vision
- Indirect ventilation provides increased airflow and minimizes condensation and fogging
- Fits over most prescription eyeglasses
- Hard-coated lenses for scratch resistance



Code	Lens	Coating	Frame	Pairs/Box
16668	Clear (with Foam)	Anti-Fog	Green	36
16669	Clear (Respiratory)	Anti-Fog	Green	36

MRXV Goggle




FEATURES

- Sleek, simple design with a curved lens for enhanced field of vision
- Unventilated design provides protection from splashes
- Fits over most prescription eyeglasses



Z87.1 + U6 D3 

Code	Lens	Coating	Frame	Pairs/Box
16676	 Clear	—	 Blue	36
16678	 Clear	—	 Smoke	36
16679	 Clear	Anti-Fog	 Smoke	36

SG34 Goggle





FEATURES

- Economical, soft, pliable frame for enhanced comfort
- Headband buckles are located toward the rear of the frame to limit interference with peripheral vision
- Button vents offer indirect ventilation while providing protection from splashes
- Fits over most prescription eyeglasses
- Hard-coated lenses for scratch resistance



Z87.1 + U6 D3 

Code	Lens	Coating	Frame	Pairs/Box
16362	 Clear		 Green	50



V90 Shield



FEATURES

- Monogoggle™ XTR goggles integrated with a face shield to provide full face protection from liquids and particulates without the hassle of primary eye protection underneath a face shield
- Fits over most prescription eyeglasses
- Curved face shield conforms to the shape of the face for added protection
- Shield detaches from the goggles for a 2-in-1 solution
- Anti-fog coating; ideal for humid environments and temperature variances
- Hard-coated lenses for scratch resistance

Z87.1 + U6 D3 5 BASE CLASS

Code	Lens	Coating	Frame	Pairs/Box
18629	Clear	Anti-Fog	Blue	6
18631	IRUV Shade 3.0	Anti-Fog	Black	6
18633	IRUV Shade 5.0	Anti-Fog	Black	6
30707	Clear Replacement Lens	Anti-Fog	N/A	12



Kimberly-Clark Professional™ Visor Face Shield

FEATURES

- Disposable full-length face shield to help protect the face and eyes
- Comfortable foam headband and elastic straps
- Compatible with eyewear and/or safety glasses
- Anti-fog, clear shield, packaged to prevent scratches
- Not for medical use

Code	Lens	Coating	Shields/Carton	Cartons/Case
54040	Clear	Anti-fog	40	1



KleenGuard™ Lens Cleaning Towelettes

FEATURES

- Lens cleaning wipers pre-saturated with an anti-fog, anti-static formula
- Comes in a wall-mountable corrugate box designed for easy wiper dispensing
- There are 100 towelettes/box and 10 boxes/case

Code	Case Count
14551	100 towelettes/box 10 boxes/case



CAUTION
PERSONAL
PROTECTIVE EQUIPMENT
REQUIRED
BEYOND THIS POINT



RESPIRATORY
PROTECTION



EQUIPPED FOR PROTECTION

When it comes to respiratory protection, Kimberly-Clark Professional is a leader in innovative industrial solutions. Our expanded portfolio of KleenGuard™ Brand N95 respirators features pouchstyle and cup style NIOSH-approved offerings.

And, after you've finished using our respirators, you can recycle them through RightCycle by Kimberly-Clark Professional®, the only manufacturer-led PPE recycling program.

For protection, performance and comfort, there is no better choice than KleenGuard™ N95 respirators.



RESPIRATORY PRODUCTS

We currently offer two types of respirators: pouch style and cup style NIOSH-approved N95 Respirators. Learn more about our offerings below and in the following pages.

RESPIRATORY BY TYPE

	CUP STYLE N95 PARTICULATE RESPIRATORS	POUCH STYLE N95 PARTICULATE RESPIRATORS
PREMIUM 	<ul style="list-style-type: none"> • RA3415 • RA3415V 	
PLUS 	<ul style="list-style-type: none"> • RA3316 • RA3316V 	
ESSENTIAL 	<ul style="list-style-type: none"> • RA3315 • RA3315V 	<ul style="list-style-type: none"> • KleenGuard™ Pouch (Regular and Small) • Kimtech™ Pouch (Regular and Small)

Symbols Key

TAA Product complies with the Trade Agreements Act

 Recyclable with RightCycle by Kimberly-Clark Professional®









Prior to occupational use of the KLEENGUARD™ RESPIRATORY PRODUCTS, please note the following:









- Respiratory hazards (contaminant type and concentration levels) must be determined in the workplace and must not exceed OSHA PEL. (KleenGuard™ N95 Particulate Respirators are used only for particulate aerosols free of oil.)
- An OSHA written respiratory protection program (medical evaluation, fit test and use training) must be in place prior to use. OSHA 29 CFR 1910.134 – Respiratory protection.
- Fit testing must be completed per OSHA 29 CFR 1910.134 to ensure no contaminant leakage occurs into the user's respirator.
- Do not modify or alter respirator in any way.
- For complete product use and restrictions, please carefully review the user instructions shipped with the KleenGuard™ N95 Particulate Respirator.
- KleenGuard™ N95 Particulate Respirators are not cleared by the U.S. FDA as a surgical mask.
- Not for healthcare market or healthcare personnel.

NOT SURE WHICH SOLUTION IS RIGHT FOR YOU?

This convenient selector tool will help you choose the right respirator for the task.

Per the Occupational Safety and Health Administration (OSHA), it is the responsibility of the user to assess the type of hazard, permissible limits and the risk associated with exposure and then decide on the appropriate personal protective equipment needed for each circumstance.

	HAZARDS	TASKS	 Metal & Heavy Equipment	 Transportation	 Oil & Gas	 Food	 Mining	 Agriculture	 Manufacturing	 Construction
RA3315, RA3315V, 53899 / 54065	Non-hazardous dust, particulates, sanding debris	Sanding/grinding surfaces	✓	✓	✓				✓	✓
RA3315, RA3315V, 53899 / 54065	Non-hazardous particulates, e.g., sawdust, MDF, drywall, dusts	Cutting, milling, sanding, sweeping		✓					✓	✓
RA3315, RA3315V, 53899 / 54065	Dirt/grime, grease, cleaning products	Machine/vehicle maintenance, light janitorial	✓	✓	✓	✓	✓	✓	✓	
RA3315, RA3315V, 53899 / 54065	Woodworking, masonry, brick, mortar/concrete dusts and debris	Sanding, cutting, drilling, turning, staining/painting							✓	✓
RA3315, RA3315V, RA3316, RA3316V, RA3415, RA3415V	Powders, dry pharmaceuticals	Powder handling, milling, pharma				✓		✓	✓	
RA3315, RA3315V, RA3415, RA3415V	Disinfectant, detergent, soap, surfactant	Equipment sanitation and disinfection		✓		✓		✓	✓	
RA3315, RA3315V, RA3415, RA3415V	Lime/caustic handling (dry bricks, powders or liquid solutions)	Concrete and mortar mixing, pouring and finishing							✓	

										
	HAZARDS	TASKS	Metal & Heavy Equipment	Transportation	Oil & Gas	Food	Mining	Agriculture	Manufacturing	Construction
RA3316, RA3316V, RA3415, RA3415V	Paint overspray/dry particulates	Spray painting, powder coating	✓	✓					✓	
RA3316, RA3316V, 53899	Sewage, animal waste, blood borne pathogens ^{††} —light exposure	Livestock handling/processing, sewage purification, waste management, crime scene investigation/cleanup, plowing				✓		✓		
RA3316, RA3316V, 53899	Sewage, animal waste, blood borne pathogens ^{††} —heavy exposure	Livestock handling/slaughter/processing, sewage purification, waste management, crime scene cleanup				✓		✓		
RA3315, RA3315V, RA3415, RA3415V	Textiles and paper processing	Paper processing, textile manufacturing							✓	
RA3315, RA3315V, RA3415, RA3415V	Cotton, textile dust and fiber exposure (BG)	Production of new fiber, cutting operations						✓	✓	
RA3315, RA3315V, RA3316, RA3316V, RA3415, RA3415V	Adhesives	Bonding, gluing, sealing	✓	✓					✓	✓

†† Not for medical use



KLEENGUARD™

CUP STYLE N95 PARTICULATE
RESPIRATORS

PREMIUM	✓✓✓	RA3415
		RA3415V
PLUS	✓✓✓	RA3316
		RA3316V
ESSENTIAL	✓✓✓	RA3315
		RA3315V



3400 Series N95 Particulate Respirators: Cup Style




If you're looking for an N95 respirator with a molded cup design that's comfortable enough to wear all day, look no further than the KleenGuard™ 3400 Series Particulate Respirator. It provides an individualized fit for enhanced comfort while still delivering protection against airborne particles and contaminants.

FEATURES

- Provides a filtration efficiency of at least 95% or 0.3 micron particles free of oil
- Full face seal easily conforms to the natural shape of the face
- Adjustable straps and nose clip
- Molded cup design
- Not made with natural rubber latex
- Meets Class 1 Flammability requirements, per 16 CFR 1610
- Flame compliant, per ASTM D 2859
- N95 NIOSH approved
- Optional exhalation valve

TYPICAL USES

- General maintenance
- Construction
- Agriculture
- Food processing
- Sanding, sawing, grinding
- Metalworking
- Welding



Code	Model	Filtration Level	Exhalation Valve	Size	Respirators/Carton	Cartons/Case	NIOSH TC #
54627	RA3415	N95	No	Regular	10	120	84A-4654
54628	RA3415V	N95	Yes	Regular	10	120	84A-4652



Recyclable with RightCycle
by Kimberly-Clark Professional®



3300 Series Particulate N95 Respirators: Cup Style




The KleenGuard™ NIOSH N95 3300 Series Particulate Respirator, with its molded cup design, delivers a contoured fit and comfort without compromising protection. It guards against the risks posed by airborne particles and contaminants.

FEATURES

- Provides a filtration efficiency of at least 95% or 0.3 micron particles free of oil
- Foldable and portable
- Welded head straps for a secure fit
- Molded cup design
- Not made with natural rubber latex
- N95 NIOSH-approved
- Optional exhalation valve

TYPICAL USES

- General maintenance
- Construction
- Agriculture
- Food processing
- Sanding, sawing, grinding
- Torching
- Sweeping
- Adhesives
- Textiles



Code	Model	Filtration Level	Exhalation Valve	Nuisance Odor	Size	Respirators/Carton	Cartons/Case	NIOSH TC #
54625	RA3315	N95	No	No	Regular	20	240	84A-7867
54626	RA3315V	N95	Yes	No	Regular	10	120	84A-7869
54629	RA3316	N95	No	Yes	Regular	20	240	84A-7882
54630	RA3316V	N95	Yes	Yes	Regular	10	120	84A-7883

¹⁴ Carbon layer in respirator offers nuisance level relief from organic vapors that are below the permissible exposure limit (PEL).



PROTECTION against
airborne particles and
contaminants.





KLEENGUARD™

**POUCH STYLE N95
PARTICULATE RESPIRATORS**

ESSENTIAL ✓✓✓

- KleenGuard™ Pouch (Regular and Small)
- Kimtech™ Pouch (Regular and Small)



N95 Particulate Respirator: Pouch Style



FEATURES

- Up to 31% more breathable than leading competitive respirator style¹⁵
- Unique shape ensures tight facial seal and prevents leakage around edges
- Convenient, flat-fold design enhances portability, making storage easier
- Proprietary technology enhances airflow and delivers no less than 95% filtration efficiency
- Headstraps and adjustable nosepiece create a custom fit

TYPICAL USES

- General maintenance
- Sanding
- Sawing
- Grinding
- Sweeping
- Food processing
- Healthcare



KleenGuard™ Pouch Style N95 Particulate Respirators

TAA

Code	Model	Filtration Level	Exhalation Valve	Size	Respirators/Carton	Cartons/Case	NIOSH TC #
53899	N/A	N95	No	Regular	20	12	84A-9042
54065	N/A	N95	No	Small	20	12	84A-9042

Kimtech™ Pouch Style N95 Particulate Respirators

TAA

Code	Model	Filtration Level	Exhalation Valve	Size	Respirators/Bag	Bags/Case	NIOSH TC #
53358	N/A	N95	No	Regular	50	6	84A-9042
54066	N/A	N95	No	Small	50	6	84A-9042



¹⁵ Kimberly-Clark data derived from NIOSH approval process and test results. Competitive data derived from Inhalation and Exhalation Resistance and Filtration Performance of Stockpiled Air-Purifying Respirators: Overall Performance of Nearly 4,000 Respirators Sampled from Ten Stockpile Facilities – National Institute for Occupational Safety and Health (NIOSH), National Personal Protective Technology Laboratory (NPPTL). Lee A. Greenawald, Susan M. Moore, Patrick L. Yorio. March 25, 2020.





KLEENGUARD™



KLEENGUARD™

Visit our website at www.KCProfessional.com

OR contact us at 800-241-3146

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

®/™ Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques de commerce de Kimberly-Clark Worldwide, Inc. ou de ses sociétés affiliées. © KCWW. The Color Purple and Purple Nitrile are trademarks of O&M Hayland, Inc., or one of its affiliates. Smith & Wesson® is a registered trademark used under license by Kimberly-Clark Worldwide, Inc. Saranex® is a registered trademark of the Dow Chemical Company.

T22TOM-02 6/23

